POLITECNICO DI TORINO

Collegio di Ingegneria Gestionale e della Produzione
Corso di Laurea Magistrale in Management Engineering



LLM-Based Chatbots for the Analysis and Management of Production Systems Course: From Course Tutoring to Formative Exam Feedback

Supervisor

Prof.ssa Giulia Bruno

Candidate

Matteo Gandino

A.A 2025/2026

Index

Index 3
Abstract 6
1. Introduction 7
2. Theoretical background 10
2.1 Foundations of GenAI and LLMs 10
2.2 Retrieval-Augmented Generation and Grounding 12
2.3 Environments for the development of educational chatbots 14
2.3.1 NotebookLM 14
2.3.2 Gemini Gems 14
2.3.3 Microsoft Copilot 15
2.4 OCR and reading of scanned documents 15
2.5 Formative feedback and Intelligent Tutoring 16
3. State of the art 18
3.1 Overview of the Literature Corpus 19
3.2 System Design and Architecture of Educational Chatbots 25
3.3 User Adoption, Acceptance, and Perception 31
3.4 Impact on Student Learning and Academic Performance 35
3.5 Ethics, Academic Integrity, and Algorithmic Bias 39
3.6 Systematic Reviews and Bibliometric Analysis 41
4. Proposed method 42
4.1 The technical evaluation framework 42
4.2 Conception of the tools 44
4.2.1 The course tutor 44
4.2.2 The exam-feedback assistant 45
4.3 The perception measurement instruments 45
4.3.1 The tutor perception questionnaire 46
4.3.2 The exam-assistant evaluation grid 46
5. Case study: Application to the AMPS course 47
5.1 Context: the AMPS course 47
5.2 Diagnosis of the existing chatbot 48
5.2.1 The starting system and the access constraint 48
5.2.2 Diagnosis and limitations found 48
5.2.3 Conclusion 49
5.3 Construction of the knowledge base and the instructions 50
5.3.1 The knowledge base 50

5.3.2 The instructions 51
5.4 Platform selection 52
5.4.1 Selection methodology 52
5.4.2 The three environments compared 53
5.4.3 Test 54
5.5 The course tutor: implementation and validation 55
5.5.1 Implementation 55
5.5.2 Validation with students 57
5.6 The exam-feedback assistant: implementation and validation 59
5.6.1 Implementation 59
5.6.2 Validation with students 60
5.7 Discussion 61
6. Conclusions 62
Bibliography 65
Web resources 72
Appendix A - Tutor perception questionnaire 73
Appendix B - Exam-assistant evaluation grid and results 75
Appendix C - Examples of answers from the existing chatbot 76
Appendix D - Instructions for the agent 78
Appendix E - Examples of answers in the platform comparison 83
Appendix F - Instructions of the exam-feedback assistant 86

Abstract

The integration of Large Language Models (LLMs) into universities offers opportunities for personalized student support. Still, it raises the question of which platform to use and how to assess its effectiveness. This thesis project addresses the problem through an empirical approach, applied to the Analysis and Management of Production Systems (AMPS) course at Politecnico di Torino. Using free-tier solutions, the work develops two conversational tools: a course-specific tutor, developed starting from the diagnosis of a pre-existing chatbot, and an assistant for feedback on the mistakes made in the exam, which compares the student's scanned paper with the instructor's official solution. A test validates every design choice: after a diagnosis of the pre-existing chatbot a multi-criteria rubric guides the selection of the platform among the alternative environments. The comparison shows that NotebookLM is the best solution, mainly thanks to its native grounding on the course material and the traceability of its citations. The user experience is then measured through perception instruments administered to the students. The results show an overall positive perception: the tutor, evaluated by 13 students, is considered useful for the course (4.2 out of 5) and obtains even higher scores on the intention to recommend it and to use it for exam preparation (4.4 out of 5), while the reported limitations mainly concern occasionally too generic answers and the impossibility of uploading images of the exercises. The exam-feedback assistant, on the other hand, evaluated by 8 students, reaches an average perception of 1.84 out of 2, with full consistency with the instructor's explanation. Consistent with the adopted framework, the evaluation concerns perceived usefulness rather than actual learning, whose measurement is left as future work for other thesis projects.

1. Introduction

In recent years, Large Language Models (LLMs) have grown rapidly in use and diffusion. In particular, their success has been made possible by the increase in the number of parameters and the amount of training data (Minaee et al., 2024). Interest in them has grown considerably because they have become an everyday tool, accessible to anyone with an internet connection. Thanks to their ease of use and a user-friendly interface, these tools have become ordinary assistants in people's daily lives. This is particularly true in the academic context. University students, indeed, have started to use AI tools widely and without guidance from official institutions (Dakakni & Safa, 2023; Duda et al., 2026). Students ask questions concerning the clarification of theoretical topics or the solution of numerical exercises. In particular, the assistance available at any hour is greatly appreciated, and it is very useful when there is an urgent need to understand a concept in order to continue studying (Shute, 2008; Thway et al., 2025; Mzwri & Turcsányi-Szabó, 2026). However, the use of these tools can be detrimental, especially if used irresponsibly. Indeed, generative artificial intelligence tends to make mistakes or even invent information (Gao et al., 2023), and relying too much on these tools can be counterproductive (Crawford et al., 2024; Sánchez-Vera, 2025). Studies have highlighted the fundamental role that universities play in providing guidelines to instruct students on using artificial intelligence wisely (Neumann et al., 2023; Eaton et al., 2026). Consequently, this thesis project arises with the aim of proposing generative artificial intelligence solutions to students in a mindful and controlled way. This work focuses on two moments in particular. The first one is during the course, concerning independent study and the doubts encountered while preparing for the exam. Often, students have to wait days before being able to consult the instructor or the assistants and may have to use tools that refer to unverified sources to get a quicker answer. The second moment is after the exam, in order to make participation in the review of the exam paper more accessible. At present, it is a process in which the instructor represents the bottleneck, and the student may be discouraged from taking part because of the waiting time. The course addressed by this work is the Analysis and Management of Production Systems course, taught by Professor Giulia Bruno, the supervisor of this master's thesis. This project does not start from scratch. In fact, some students built a chatbot in Copilot Studio some years ago. However, by conducting a preliminary diagnosis of the chatbot, the author highlighted some limitations, both in the efficiency of the tool and in the necessity for a paid license to create and control the chatbot, which is not accessible to the students of Turin’s

Polytechnic.
The author therefore considered it necessary to search for a new platform on which to build the chatbot, which was found in NotebookLM (In July 2026, after the completion of this work, Google renamed NotebookLM to Gemini Notebook).
The aim was to use this platform to develop two chatbots designed to meet the students' needs before and after the exam.
The first chatbot is a course tutor, useful for answering theoretical questions and exercises posed by students during their independent study sessions.
The second chatbot compares the student's handwritten paper with the official solution of the exam, in order to find the differences and explain to the student the mistakes they made.
After this first development phase, the author, in agreement with the instructor, organized two live experiments with students from the course to validate the two developed tools.
The validations do not investigate an actual improvement in learning, but the perceived quality of the two tools.
Students judged both tools positively. In particular, the tutor was tested by 13 students and was considered useful for the course (4.2 out of 5), with high scores on their intention to use it to study for the exam (4.4 out of 5).
The assistant for post-exam feedback, was evaluated by 8 students, who expressed very positive judgments: the tool obtains an overall average of 1.84 out of 2, with a full score on coherence with the professor's review.
The document follows the same path taken by the work itself. Chapter 2 presents the theory behind the next chapters. In particular, the topics covered are related to Large Language Models (LLMs), grounding mechanisms, the platforms available for building a chatbot, handwritten text recognition (OCR), and Intelligent Tutoring Systems (ITS).
Chapter 3 then examines the existing literature on the subject, organizing what has already been done and what remains open.
Chapter 4 defines the proposed method. In detail, it describes the technical evaluation used to select the platform, the requirements of the two tools, and the validation with students.
Chapter 5 describes the application of these methods, reporting the diagnosis of the original chatbot, the improvement of the knowledge base and instructions, the selection of the platform, and, finally, the implementation and validation of the two tools.
Finally, Chapter 6 outlines the conclusions of the work, describing its limitations and possible future developments they suggest.

2. Theoretical background

This chapter reports the theoretical topics behind the choices made in the following chapters. The aim is to provide the reader with the minimum knowledge about the subject of the thesis, in order to make it easier to read and understand.

In particular, the first section introduces Large Language Models, or LLMs, explaining how they manage to generate text and which limitations emerge. The second section addresses the concept of Retrieval-Augmented Generation and grounding, that is, the mechanisms that restrict the information an LLM has access to a set of verified sources. Then, in the third section, the environments considered for creating a conversational chatbot to be distributed to the students of a university course are presented. The fourth section addresses the matter of the chatbots' ability to interpret handwritten documents. The last section, finally, introduces Intelligent Tutoring Systems, or ITSs.

2.1 Foundations of GenAI and LLMs

Generative Artificial Intelligence (GenAI) represents a turning point with respect to the discriminative and classification models that have characterized machine learning until recent times. Traditional models map data and input into predefined labels or classes, whereas GenAI learns the probability distributions of the data in order to generate new samples (Goodfellow et al., 2014). In this context, Large Language Models (LLMs) have driven the transition from systems capable of performing specific, limited tasks to systems able to generate novel content, starting from the statistical patterns found in the vast textual corpora they can access, drawn from the web and from published literature. This evolution has been made possible by the growth in the number of model parameters and in the amount of training data (Minaee et al., 2024).

Conceptually, an LLM is founded on the transformer architecture, which redefined natural language processing (NLP) (Vaswani et al., 2017). The process begins with tokenization: the text is divided into elementary units called tokens, which can be words or even syllables. An identification number is assigned to each token, and it is then converted into an embedding, that is, a numerical vector that places it at a point in a semantic space, where the geometric distance between points reflects the similarity between terms (Minaee et al., 2024). Transformers process tokens in parallel rather than sequentially, which would cause the order of the words to be lost. This is where positional encoding intervenes, solving the

ordering problem by adding to each embedding the information about the token's position in the text. In this way, the order of the sequence is preserved (Vaswani et al., 2017).
Another important concept talking about transformers is the attention mechanism, which is able to assess how relevant a token is with respect to the others. This allows the system to understand the context of each word, finding relationships with other distant words (Vaswani et al., 2017). Finally, the output is produced autoregressively: the model generates one token at a time, continuing the sequence with the most probable token based on the tokens previously generated (Brown et al., 2020).
The overall sequence of processing stages is summarized in Figure 1, from tokenization to autoregressive generation.




Figure 1 - Conceptual processing flow of the Transformer architecture, from input tokenization to autoregressive text generation

The development of an LLM consists of three phases. The first is pre-training, which consists in providing the model with an enormous quantity of text and a single instruction: to predict the next token in a sequence. This type of training is called self-supervised, because the model corrects itself by comparing its prediction with the actual token in the text (Zhao et al., 2023). This phase produces a model that can generate text but cannot follow instructions yet. For this reason, in the second phase, called fine-tuning or instruction tuning, the model is provided with a much smaller and more specific dataset made up of instruction–response pairs. The model here learns to understand what the user asks (Zhao et al., 2023). The third and final phase is alignment, carried out through reinforcement learning from human feedback (RLHF). First, several of the model's responses to the same question are evaluated, indicating the most satisfactory one; from these judgements a reward model is built, which learns to imitate human preferences by scoring the model's responses. The LLM is then optimized to generate the responses rated best by the reward model (Christiano et al., 2017).
One crucial aspect must be highlighted: an LLM generates text solely through probabilistic prediction. The text does not arise from an exact computation or from an archive of verified

facts, but from the estimation of the most probable sequence of words (Zhao et al., 2023). This has a fundamental consequence for the present thesis: without access to a source of truth, the model's responses must be anchored to a selected and controlled corpus. This is the reason why grounding mechanisms are described in the following section.

2.2 Retrieval-Augmented Generation and Grounding

Large Language Models (LLMs) have shown considerable capabilities in text generation, but they rely on a purely parametric memory, fixed during training. A major limitation, in particular, is represented by the fact that the model has access only to the information stored in its parameters, and not to a consultable external memory.

This problem emerges in tasks that require specific knowledge of the subject (Lewis et al., 2020). Indeed, since an LLM tends to generate new text through probabilistic prediction based on the previously generated text, as explained in paragraph 2.1, the risk is that of obtaining a text full of hallucinations and invented, or at least unverified, information (Gao et al., 2023). This happens because the model has no access to an external reference, and the information available to it comes entirely from training, which may be outdated and missing a reliable source (Lewis et al., 2020).

The Retrieval-Augmented Generation (RAG) framework overcomes this limitation by adding a consultable external memory to the generation process (Lewis et al., 2020). The process consists of two steps. In the first step, the documents of the corpus are cleaned and divided into smaller segments, such as paragraphs or sentences. These pieces of text are called chunks (Merola & Singh, 2025). Each chunk is turned into an embedding, the same concept seen in Section 2.1, here applied to a whole piece of text rather than to a single token: a vector that captures its meaning, placed in a semantic space where the proximity between vectors reflects the similarity between contents (Gao et al., 2023).

In the second step, in the same way as the chunks, the user’s question is also transformed into an embedding. This is a very important step, because it allows the system to compare the demand with the corpus’ documents. Indeed, at the end of this step, the system retrieves the documents’ chunks closest to the user's question, which are also the most semantically relevant ones (Gao et al., 2023).

At this point in the process, we reach the part where the final answer is generated. The answer generator receives as input the user's question and the chunks retrieved from the corpus, and

creates an answer based on external knowledge rather than internal knowledge (grounding) (Lewis et al., 2020). The complete pipeline, from the external corpus to the grounded answer, is shown in Figure 2.
Since the comparison is based on meaning and not on exact words, the system recognizes relevance even when the question uses terms different from those in the document.




Figure 2 – The Retrieval-Augmented Generation pipeline: documents are chunked, embedded and indexed; the user's question retrieves the most similar chunks, which ground the generated answer

The effectiveness of the RAG process depends critically on the quality of the source document and on the chunking strategy. Information retrieval works only if the right chunks are found and selected. This depends primarily on the way documents have been segmented, not on the generative model itself. The biggest problem is context fragmentation: if the chunks are not divided in the correct way, respecting the sentences' meaning, the risk of losing the full sense of the text as a whole increases (Merola & Singh, 2025). Indeed, a bad segmentation, which for example divides the title from the paragraph or cuts a formula in half, strongly compromises the quality of the retrieval. The danger is that the model returns incoherent or even incorrect information when applied to the context of the question. In this case, the problem is not the generator, but the material it receives.
Finally, RAG introduces the principle of traceable citation, which is fundamental for an educational tool. Unlike a pure LLM, which often works as a "black box" whose basis is unknown and whose statements cannot be traced, RAG makes the process observable (Gao et al., 2023). Every part of the answer can be easily linked to the documents from which it was retrieved, because each chunk retains metadata about the original document. This has two effects. On the one hand, it reduces hallucinations, because the model answers from real sources rather than from its internal parametric memory alone (Gao et al., 2023). On the

other hand, it allows the user to verify the information by tracking it back to the source material (Lewis et al., 2020). In an academic or educational context, this property is critical: the student does not receive only an answer, but also a reference to the official source for further study, and this increases the reliability and credibility of the whole system.

2.3 Environments for the development of educational chatbots

This section describes the environments considered for developing the chatbot dedicated to the course "Analysis and Management of Production Systems", taught by Professor Giulia Bruno. The descriptions refer to the versions of the three environments available during the development of this work. Four aspects were considered: the nature of the environment, the grounding on the knowledge base, control over behavior, and cost.

2.3.1 NotebookLM

A no-code Google tool for document analysis: the user uploads the sources, which can be of different kinds (such as PDF files, website links, or YouTube videos), and the model answers relying only on them [1], [2]. The grounding is native; it is a closed RAG system that generates answers based exclusively on the uploaded content [1]. Since every answer shows a numbered, clickable citation pointing to the exact sentence in the source, hallucinations are reduced (Tozuka et al., 2025) [3]. Both a paid and a free version are available; the latter allows up to 50 documents per notebook [4], which makes it suitable for supporting the materials of an entire course. The chat instructions can be customized, giving a degree of control over the system's behavior [3].
As for data, Google states that uploaded content is not used to train its models, unless the user chooses to provide feedback [5].

2.3.2 Gemini Gems

These are custom assistants built inside Gemini, free and available on the base plan as well [6], [7]. A Gem is identified by a name, a description, a set of instructions, and the option to upload up to ten knowledge files [8]. Unlike NotebookLM, however, these files act only

as additional context [6] and not as a boundary. Restricting the Gem to the uploaded files alone requires an explicit instruction, and even then, the result is not guaranteed.

2.3.3 Microsoft Copilot

This is a conversational assistant by Microsoft. Accessing its full capabilities requires a paid license [9]. However, this license is not among those available to the students of Turin's Polytechnic, and for this reason, in this project, the free version is used, which presents some limitations. Indeed, it does not allow uploading documents directly into the assistant's knowledge base, but only links to external sources such as public websites [9], [10]. For this reason, the retrieval of the information present on the website depends heavily on the tool's ability to access it. Nevertheless, since the original chatbot had been developed on Copilot Studio [11], this tool represents the starting point of this work.
The three environments are compared in Table 1.

	Nature	Grounding on the KB	Control over behavior	Cost
NotebookLM	No-code	Native (closed RAG)	Medium (instructions)	Free
Gemini Gems	No-code	Context (not boundary)	Medium (instructions)	Free
Microsoft Copilot	No-code	Indirect (web-mediated)	Medium (instructions)	Free

Table 1 - Qualitative comparison of the environments considered for developing the chatbot

2.4 OCR and reading of scanned documents

A handwritten, scanned exam is, to a machine, an image: a set of pixels, not characters. A system that works on text, such as NotebookLM, cannot understand it until those pixels are converted into readable text. This step is carried out by the OCR (Optical Character Recognition): it identifies the shapes in the image that correspond to letters and numbers and transcribes them into digital text. In the system developed here, OCR is performed by Adobe Scan at the time of scanning, producing a text file that is then uploaded as a source into NotebookLM. It is a preliminary but decisive step: everything that follows relies on the text extracted at this stage, not on the original image.
The OCR is a reliable technology on printed text, where fonts are regular and spacing is uniform. On handwritten text, the task is much harder: handwriting varies from student to

student, and the quality of the scan affects the result (Garrido-Muñoz et al., 2025). The greatest difficulty concerns mathematical notation, formulas with fractions and characters arranged on several levels, which the OCR interprets with difficulty (Zanibbi & Blostein, 2012). This limitation is particularly important because the course exams contain formulas and numerical exercises. It follows that if the OCR transcribes a passage incorrectly, NotebookLM works on wrong text, and no subsequent comparison can correct an input that was already wrong to begin with. The real crux of this step is therefore the quality of the initial transcription.

Once the exam has been converted into text, the chatbot's job becomes comparing two texts. The system was created with the objective of comparing the student's written exam with the solution provided by the professor. In particular, thanks to the provided instructions, the system is able to identify the differences between the two documents.

The entire process relies on the same grounding mechanism already described in Section 2.2 (Lewis et al., 2020). Specifically, the exam solution coming from the instructor represents the source of truth, and the answer arises from the comparison with it, without relying on the model's parametric knowledge. In this way, the system does not simply define whether an answer is correct or wrong, but signals where and why the student's answer differs from the official solution.

2.5 Formative feedback and Intelligent Tutoring

An Intelligent Tutoring System (ITS) is a software tool that gives personalized instruction and feedback, similar to what a human tutor would offer, but without needing the presence of a teacher (Nkambou et al., 2010). The main idea is that one-to-one support works better than teaching to a large group (Bloom, 1984). However, having a tutor for every student is not feasible, especially in numerous university classes. An ITS has four main parts: the domain model (subject knowledge), the student model (what the system knows about the learner), the pedagogical model (teaching strategies), and the interface (how users interact with the system) (Nkambou et al., 2010).

Not all feedback is the same. Corrective feedback only tells students if their answer is right or wrong and what the correct answer is. It shows the result but not how the mistake happened (Shute, 2008). This means students might repeat the same error because they do not understand the reason behind it. Formative feedback, on the other hand, points out where

and why the error happened and explains the correct steps. This helps students understand better (Hattie & Timperley, 2007). This difference is important for tools that support learning instead of just grading. When a system compares a student's work to a reference solution, it can do more than just point out mistakes. It can show exactly where and why each error happened. For this feedback to be trustworthy, it needs a solid source. The grounding described in Section 2.2 makes formative feedback both useful and reliable.
Another advantage of these tools is the timing of support. Indeed, it is far more useful for a student to have the possibility of clarifying a doubt immediately, rather than carrying it around for days before speaking with a professor on difficult tasks (Shute, 2008). This is called just-in-time support, and it is a game changer during individual study. When a student faces a concept he cannot understand and gets stuck, very often they have to wait days before being able to confer with a professor and continue studying the subject. However, virtual assistants, available at any time of day, can offer students effective and timely help.
A virtual assistant does not replace independent study, but it makes some activities shorter for students, who will no longer have to wait days to clarify a doubt and confer with a professor about what is not clear about the subject.
One last point is about what this kind of support can actually promise. It is important to tell the difference between assisted performance and real learning (Soderstrom & Bjork, 2015). A tool that gives correct answers and quick feedback helps students do better while they use it, but this does not mean they have truly learned the material. Sometimes, support like this can make students depend on the tool instead of learning on their own, and it might make them think they understand more than they really do (Soderstrom & Bjork, 2015). This difference matters here because it shows what we can measure: we can learn about how useful students think the tool is and how it helps them perform, but not about real learning, which would need a special experiment to measure.

3. State of the art

To identify relevant contributions to this research, a systematic search was conducted across two academic databases: Scopus and Web of Science. The query used to search the documents is: TITLE-ABS-KEY (higher education, chatbot, artificial intelligence, engineering student). The queries returned 88 and 79 papers respectively, for an initial pool of 167 records. First of all, the author identified and removed the documents that appeared as duplicates in the results obtained from the two databases. The removal of duplicates found 17 repeated documents, reducing the set to 150 documents. Subsequently, the author began the screening and selection phase of the documents, which consisted of two stages. In the first stage, each document was evaluated on the basis of the title, the year of publication, and the keywords. This step led to the exclusion of 43 documents clearly not pertinent to the topic of this thesis project, bringing the total number of documents to 107. Then the second screening took place, which was more exhaustive than the previous one. In particular, the author read all the abstracts in full and, where the abstract alone was not sufficient to understand the usefulness of the document, the complete text was consulted. This second stage was particularly relevant because it made it possible to assess the pertinence of the document to the research question of this thesis project. In total, 64 articles were excluded, which brought the final count of documents to 43. The flow of the process used to select the 43 articles is shown in Figure 3.




Figure 3 - Literature review methodology

3.1 Overview of the Literature Corpus

The 43 documents were carefully analyzed by the author, who summarized them in Table 2, reporting authors, year of publication, title and a synthetic summary of the papers.

Authors	Year	Title	Summary
1. System Design and Architecture of Educational Chatbots			
Chen J.M.; Zhang L.; Pengnate S.; Ma E.; Leung X.Y.	2025	Integrating a Custom Chatbot Into Higher Education: From Passive to Interactive E-Learning	Custom RAG chatbot using GPT-4 and LlamaIndex on course materials; ease of use and usefulness drove engagement and learning.
Petrillo A.; Awasare K.; Rehman M.	2025	The ALES Platform: State-of-the-Art and Gap Analysis for an Academic LLM Chatbot	ALES platform addresses gaps found in 76 studies: structured citations, GDPR compliance, and LMS-embeddable academic integrity safeguards.
Sedrakyan, G; Borsci, S; Machado, M; Rogetzer, P; Mes, M	2024	Design Implications for Integrating AI Chatbot Technology with Learning Management Systems: A Study-based Analysis on Perceived Benefits and Challenges in Higher Education	Co-design study at Twente with 58 stakeholders: AI chatbots should function as advisory guides, not answer dispensers, with LMS integration.
Mzwri, K; Turcsányi-Szabo, M	2026	Bridging LMS and generative AI: dynamic course content integration (DCCI) for enhancing student satisfaction and engagement via the ask ME assistant	DCCI mechanism injects current Canvas content into the LLM context window; 14,746 interactions, 4.652/5 satisfaction, reduced platform switching.
Allen, M; Naeem, U; Gill, SS	2024	Q-Module-Bot: A Generative AI-Based Question and Answer Bot for Module Teaching Support	Q-Module-Bot at Queen Mary University of London: Q&A bot using GPT-3.5 and Open-AI embedding; simple to use and extendible to other modules.
Henne, S; Mehlin, V; Schmid, E; Schacht, S	2022	Components of digital assistants in higher education environments	Scoping review of 167 publications. Analysis of 52 papers. Four-component mapped (communicator, planner, motivator, analyzer). Literature focused on communicator.
Thway, M; Recatala-Gomez, J; Lim, FS; Hippalgaonkar, K; Ng, LWT	2025	Harnessing GenAI for Higher Education: A Study of a Retrieval Augmented Generation Chatbot's Impact on Learning	Professor Leodar at NTU: domain-specific RAG chatbot deployed for a full semester; 12,334 interactions, 97.1% positive experience.
Ferrettini G.; Nascimento	2026	SIMBA: A Tool for Designing Generative AI Agents	SIMBA: web-based tool letting instructors design LLM-powered Socratic chatbots;

A.C.A.; Pérez-Sanagustin M.; Hilliger I.		for Reflective Learning and Critical Thinking	analytics dashboard surfaces interaction data; positive usability with 5 instructors out of 8.
Leal S.S.; Bras G.; Paes G.; Souza J.; Junior C.; Sousa B.; Assis R.; Guimaraes T.; Marques T.	2025	Aila - Artificial Intelligence for Learning Assistance: a Learning Support Interactive Chatbot	AILA at Anima Educação (Brazil): psychometric questionnaires drive personalised recommendations; ~24,054 students engaged, 80.6% performance rate; large-scale deployment.
Silva, EFF; Maia, DM; Santana, AF; Dos Santos, SC;	2024	An Intelligent Tutoring System Proposal Based on Chatbot and Learning Styles to the Project Management Study	Juh: Blip low-code intelligent tutoring system for project management; personalises activities by learning style; 90% usability scores.
Schell, J; Ford, K; Markman, AB	2025	Building responsible AI chatbot platforms in higher education: an evidence-based framework from design to implementation	UT Sage at UT Austin: dual-function builder-bot coaches faculty in instructional design and configures student tutorbot grounded in pedagogical theory.
Soliman H.; Kotte H.; Kravčík M.; Pengel N.; Duong-Trung N.	2025	Retrieval-Augmented Chatbots for Scalable Educational Support in Higher Education	RAG chatbot at a Educational course at a German university with hybrid vector and BM25 retrieval, Cohere reranker and GPT-3.5-turbo; 87% accuracy.
Cheng G.; Wong W.; Luo L.; Yu M.	2025	Integrating a Scaffolding-Based, LLM-Driven Chatbot into Programming Education: A University Case Study	Scaffolding-based LLM chatbot vs traditional chatbot in Python course (n=80); post-test 26.55 vs 20.65; gains in problem solving, less overreliance.
Jing Chen, Nur Azlina Mohamed Mokmin, Qi Shen, Hanjun Su	2025	Leveraging AI in design education: exploring virtual instructors and conversational techniques in flipped classroom models	2×2 study (n=124): AI vs human instructor and conversational vs formal style; conversational style consistently improves performance and engagement.
2. User Adoption, Acceptance, and Perception			
Nanang H.; Sukmana H.T.; Durahman Y.; Khairani D.; Arifin V.; Saputrie F.P.	2025	Assessing the Success of Chatgpt in Higher Education: an Empirical Study of the Benefits and Impacts	Indonesian study (n=70) using DeLone-McLean and TAM: perceived quality drives usefulness and satisfaction; use impact does not predict net benefit.
Sartono E.S.; Wardhana C.S.P.; Princes E.; Karmawan I.G.M.; Ikhsan R.B.; Gui A.	2023	Exploring the Impact of Chatbot Functionality and Interactivity on Chatbot Usage Intention in Higher Education	Indonesian extended-TAM study (n=225): usefulness, ease of use, trust, functionality, interactivity, and attitude all positively predict chatbot usage intention.
Guo, HB; Erdenebold, T	2025	Factors influencing intention to adopt an AI chatbot for learning in higher education: An	Chinese students (n=635) via PLS-SEM, IPMA, and ANN: perceived enjoyment is strongest predictor, followed by trust; effort

		integrated PLS-SEM, IPMA, and ANN approach	expectancy and social influence non-significant.
Dai Y.	2025	Why students use or not use generative AI: Student conceptions, concerns, and implications for engineering education	Engineering students (n=403); Voluntary access to a GPT-4 chatbot for 10 weeks. Only 59.8% used the chatbot. Non-adopters cited output limits, group fit, prompt skills, and conflict with the course objective.
Saihi, A; Ben-Daya, M; Hariga, M; As'ad, R	2024	A Structural equation modeling analysis of generative AI chatbots adoption among students and educators in higher education	SEM model (n=192): usefulness and efficiency are the strongest adoption drivers, while trust, privacy, security, disinformation and educational inequality emerge as significant concerns.
Duda E.; Młynarczyk-Karabin E.; Więckiewicz-Modrzewska J.	2026	Evaluating the Role of Chatbots in Higher Education Based on Students' Experiences	Polish pedagogical-university survey (n=408): students mainly use ChatGPT for education; concerns include privacy, misinformation, inequality, and absence of institutional guidelines.
Koh J.; Cowling M.; Jha M.; Sim K.N.	2023	The Human Teacher, the AI Teacher and the AIed-Teacher Relationship	Position paper: AI should be embraced as partner; the human teacher's irreplaceable contribution is inspiring, mentoring, and connecting with students.
Carcary M.; Buckland P.	2025	Perceived Risk of Generative AI Adoption in Initial Teacher Education Programmes	Irish ITE survey (n=290): moderate negative correlation between perceived risk and adoption intention; key risks are misconduct, misinformation, privacy, overreliance.
Ayanwale, MA	2024	Using diffusion theory of innovation to investigate perceptions of STEM and non-STEM students' adoption of chatbot systems in higher education: A multiple group analysis	Lesotho study (n=842) via Diffusion of Innovations and PLS-SEM: STEM and non-STEM students differ: complexity drives STEM, observability drives non-STEM.
Bilquise, G; Ibrahim, S; Salhieh, SM	2024	Investigating student acceptance of an academic advising chatbot in higher education institutions	UAE study on a hypothetical academic-advising chatbots (n=207): usefulness and trust were not significant, but ease of use and social influence were relevant.
Saihi, A; Ben-Daya, M; Hariga, M	2025	The moderating role of technology proficiency and academic discipline in AI-chatbot adoption within higher education: Insights from a PLS-SEM analysis	Study across engineering, business and medicine (n=195): If the user has more technology knowledge, adoption is driven by utility and efficiency, otherwise users respond to ease of use. Academic discipline does not significantly moderate any relationship.
Suryanto, TLM; Wibawa, AP; Hariyono; Nafalski, A; Shili, H	2025	A STIN Model Adoption for Chatbot in Higher Education Online Learning	Indonesian SEM study (n=299) combining TAM and STIN: performance expectancy and facilitating conditions drive intention. Intention is the strongest predictor of actual use.

Esiyok E.; Gokcearslan S.; Kucukergin K.G.	2025	Acceptance of Educational Use of AI Chatbots in the Context of Self-Directed Learning with Technology and ICT Self-Efficacy of Undergraduate Students	PLS-SEM study (n=414) extending TAM with ICT self-efficacy and SDLT: SDLT directly predicts both intention and actual chatbot use.
3. Impact on Student Learning and Academic Performance			
Sánchez-Vera, F	2025	Subject-Specialized Chatbot in Higher Education as a Tutor for Autonomous Exam Preparation: Analysis of the Impact on Academic Performance and Students' Perception of Its Usefulness	Educational science students (n=42), 704 interactions: moderate to high use outperformed minimal use. Excessive reliance does not take additional gains.
Tian, Q; Zheng, X.	2025	The impact of artificial intelligence on students' 4C skills: A meta-analysis	Meta-analysis of 39 experimental studies: AI has a moderate positive effect (Hedges' g = 0.624) on 4C skills; primary-school learners gain most.
Gharbaoui H.; Ahriz S.; Mansouri K.; Poirier F.	2025	Exploring the Role of Educational Chatbots in Peer-Based Learning	Crossover study (n=52): RAG GPT-4 chatbot mediating WhatsApp peer collaboration outperformed control; intervention only after peer attempts boosted satisfaction and engagement.
Dæhli, O; Kristoffersen, B; Lauvås, P	2024	AI Chatbot: I Want Help, not the Answer!	DbPersist “Ask AI” button generates prompts for a chatbot. The objective is making the chatbot respond with only some hints. 76% learn more from hints than solutions. Students value transparency and editable prompts.
Murali, R; Dhanalakshmy, DM; Avudaiappan, V; Sivakumar, G	2024	Towards assessing the credibility of chatbot responses for technical assessments in higher education	Bloom's-Taxonomy benchmark across five chatbots and three CS courses: acceptable at a basic level but fails advanced coursework. GPT-3.5 is the best overall.
El Mourabit I.; Jai Andaloussi S.; Ouchetto O.; Miyara M.	2025	AI Chatbots in Higher Education: Opportunities and Challenges for Personalized and Mobile Learning	Literature review of 39 studies: AI chatbots outperform rule-based systems through adaptive feedback and NLP; mobile integration enhances engagement.
Arévalo-Cordovilla F.E.; Peña M.	2025	AI-Driven Predictive Models and Chatbots for Early Intervention and Student Success in Higher Education: A Systematic Review	PRISMA review of 46 studies (2019–2024): ML predictive models plus chatbots form complementary risk-detection-and-support cycle; opacity, bias, and longitudinal evidence remain unresolved.
Crawford, J; Allen, KA; Pani, B; Cowling, M	2024	When artificial intelligence substitutes humans in higher education: the cost of loneliness, student success, and retention	SEM survey (n=387): AI chatbot use raises perceived AI social support but reduces human social support; indirect negative effect on retention.

Yigci, D; Eryilmaz, M; Yetisen, AK; Tasoglu, S; Ozcan, A	2025	Large Language Model-Based Chatbots in Higher Education	Review of LLM-based chatbots: meaningful opportunities for personalised learning and research support, but integrity, bias, hallucinations, and privacy limit pedagogical adoption.
Niño-Juárez, E; Menchaca Torre, L.	2024	Analysis of the Effect of Using AI as a Tool to Assist Mechatronics Engineering Students in Learning	Noodle Factory assistant tested with mechatronics engineering: There was a marginal improvement over the control group. Concerns about platform restrictions and limited knowledge base that limited student experience.
Su, YS; Hsu, WY; Chen, JA	2026	Integrating a ChatGPT-enhanced error feedback system with epistemic network analysis to explore students' learning programming behaviors	Error feedback with ChatGPT in a C/C++ course: it has significantly reduced compilation and logical errors. Epistemic network analysis showed shift toward higher-order debugging.
4. Ethics, Academic Integrity, and Algorithmic Bias			
Neumann, M; Rauschenberger, M; Schön, EM	2023	«We Need To Talk About ChatGPT»: The Future of AI and Higher Education	Position paper: ChatGPT raises five challenges (rules, lecturer practices, plagiarism) and three opportunities; recommendations across teaching, papers, curricula, regulations.
Ahmed, I; Liu, WX; Roscoe, RD; Reilley, E; Mcnamara, DS	2025	Multifaceted Assessment of Responsible Use and Bias in Language Models for Education	MARBLE framework at ASU: 215 synthetic instances across 18 biases evaluated via LLM-as-a-judge; Claude Haiku top, Bison and Command-Light lag.
Eaton, SE; Figueroa, BAM; McDermott, B; Kumar, R; Brennan, R; Wiens, J	2026	What should we be assessing exactly? Higher education staff narratives on gen AI integration of assessment in a postplagiarism era	Canadian study (n=28 educators) under postplagiarism framing: prompting and critical thinking ethically compatible; writing contested; composition implicitly framed as exclusively human.
Dakakni D.; Safa N.	2023	Artificial intelligence in the L2 classroom: Implications and challenges on ethics and equity in higher education: A 21st century Pandora's box	Lebanese mixed-methods study: 85.2% of students already use AI; instructors largely distrustful; calls for AI-proof tasks centred on critical evaluation.
5. Systematic Reviews and Bibliometric Analysis			
Fong E.K.S.; Lee F.W.F.; Lee L.-K.; Chui K.T.; Yousuk R.	2025	Chatbots in Higher Education: A Bibliometric Analysis Based on VOSviewer	Bibliometric analysis of 501 Scopus records using VOSviewer: Higher education, chatbots, artificial intelligence, students and ChatGPT are keyword. Publications rise sharply after ChatGPT. Limited cross-institutional collaboration (424 clusters among 1,606 authors).

Table 2 - Studies Included in the Literature Review

The author selected documents published between 2022 and 2026 in order to have recent papers on the topic. In particular, the 43 selected papers can be split into 5 different clusters: system design, user adoption, learning outcomes, ethics, and bibliometric mapping.

In systems that help students learn, the most popular approach is retrieval-augmented generation, or RAG. This method ensures the system is grounded to reliable sources of information, like institutional documents, instead of just relying on pre-trained knowledge. Lots of studies have shown that when systems are anchored to reliable content, they're more accurate and users are happier with them. It's also been found that having a clear plan for how the system should work is more important than the technology behind it. For example, systems that guide students through problems instead of just giving them the answers tend to lead to increased learning outcomes and reduce worries about students becoming too dependent on them. Researchers have also noticed that most systems focus on helping students with communication, but they often neglect other important areas like planning, motivation, and analysis. Henne et al. (2022) pointed this out, and it's still a problem today. Some studies found that students who are good with technology don't use certain tools because they think the instruments aren't right for the task, they don't know how to write an effective prompt, or they think using the tools goes against the goal of learning to solve problems autonomously. The social perception of that technology seems to matter more than how easy and effective the tool is to use. This raises the question of whether just making a tool available is enough to get students to use it. In many studies, how students feel about the tool is more important than how well it works, showing that students value how they interact with the tool more than how efficient it is.

About learning outcomes, instead, the results are not evident. Chatbots can be helpful in explaining things, providing support one step at a time, and letting students work autonomously. But how well they work depends on how they're designed and how much students actually use and rely on them. If students use chatbots moderately, with a specific goal in mind, it can improve their performance. However, if they overuse them, this might lead to giving up on more in-depth focus. One study found that using chatbots didn't directly affect how well students did academically, but it did find a negative effect because students interacted less with other people. This goes against the idea that AI is always good for education. Chatbots also struggle with more complex thinking tasks, and they're really only good at the basic levels of learning.

On the ethical level, the risks are more evident. The evaluations of several large language models show controversial biases and safety problems: some systems failed to report evident

privacy violations that other models had appropriately pointed out (Ahmed et al., 2025), defining a natural boundary around which tools institutions should adopt and which not. Academic integrity remains critical: plagiarism detectors have been shown not to work on AI-generated texts, and the ethical limits that educators impose around AI utilization are very different depending on the institutional culture, with writing being the most affected area (Eaton et al., 2026).

A bibliometric study of 501 Scopus records (Fong et al., 2025) shows a sharp increase in publications after November 2022. The most frequent keywords centre on chatbots in higher education, with student-centred applications emerging as a key research direction. Otherwise, collaboration between researchers is weak, which limits the development of shared frameworks and measurable and repeatable findings. Also, a geographic concentration is evident, with output dominated by a small number of countries, which raises the question about whether current findings are applicable to other cultures and contexts. Some critical issues occur across all five areas. Chatbots work better when they help students reason instead of substituting the students in their task, but the rush to adopt them often pushes in the opposite direction. Those who use them do that because of the social and institutional context, not because of the technology itself. Biases exist and change from model to model, yet almost no implementation checks them before going live. Research has grown considerably in recent years, but it still consists almost entirely of studies at a single point in time, and we know little about what happens to students over time.

3.2 System Design and Architecture of Educational Chatbots

The design and technical implementation of chatbots for higher education represent the practical part of this chapter. The documents of this block focus on the architectural challenges: how to build a generative model, how to make the tool accessible and how to make it maintainable by teachers who may not have programming skills.

A fundamental design decision is whether to rely on general-purpose large-scale language models or to build specific retrieval-augmented generation (RAG) pipelines. J. Chen et al. (2025) developed a customized chatbot for online and blended business courses at an American university, combining GPT-4 through the OpenAI APIs with the open-source RAG framework Llama Index. The system possesses a knowledge base built starting from

the course materials, ranging from the instructions for the assignments to the calendars, and it was evaluated with a combined framework that unites the Technology Acceptance Model and the ICAP (Interactive-Constructive-Active-Passive). The 255 responses to the questionnaire show that perceived ease of use and usefulness generated positive attitudes towards the chatbot, with a cascade effect on the interaction between student and content, the dimension most associated with the learning outcomes. The authors report that the overall development time, including the tests carried out, was about two months, with programs written in Python and made available on Hugging Face.

The authors also point out that structures of this type are feasible without large institutional budgets.

Soliman et al. (2025) focused instead on building a RAG chatbot for a education science course at a German university. The system they created can access the course materials and the information concerning the organization of the course through a hybrid approach that combines a vector index for semantic retrieval and a BM25 index for a retrieval based on keywords. In addition to this, they used a Cohere reranker model able to refine the chunks retrieved at the previous steps. For the generation of the responses, GPT-3.5-turbo was used. Five experts confirmed that the chatbot's responses were substantially aligned with the automatic evaluations of GPT-4. The percentage of correct responses varies by question category, reaching 87% overall, with the organizational questions obtaining the highest scores, including 100% accuracy when the reranker was applied.

Mzwri and Turcsányi-Szabó (2026) designed the Dynamic Course Content Integration (DCCI) system, different from RAG for its lighter and more direct approach. The mechanism connects to the APIs of the LMS Canvas and retrieves in real time the contents of the current week, the administrative pages and a customized user manual, structuring the retrieved text through prompt engineering. The assistant in question is called Ask ME. The pilot study involved 120 first-year students at Eötvös Loránd University over the course of two months, from the beginning of October 2024 to the start of December 2024. The interactions were 14,746, recorded over the span of 1,628 sessions with an average duration of 25.32 minutes each. User satisfaction with respect to the DCCI-based knowledge bases reached an average of 4.652 out of 5, and 78.06% of the respondents confirmed that the integration with Canvas reduced the need to switch from one platform to another. The study also shows a recurring theme: the students greatly appreciated the 24-hour availability of the tool and the support for their own autonomy, but they expressed concerns about excessive dependence and about the reduction of interaction with the teachers.

Petrillo et al. (2025) instead undertook an approach aimed at the study of the available platforms, before dedicating themselves to their own personal project ALES (Augmented LLM-based Engagement System). Screening 584 Scopus records down to 76 peer-reviewed studies, they found that only 18% of the reviewed systems had structured form for the citations, that fewer than 10% of them had safeguards for academic integrity and that only 28% supported the integration with the institutional learning management systems. The architecture of ALES was designed to solve these problems, offering the generation of citations in APA and IEEE format, data management protocols compliant with the GDPR and an interface embeddable within LMS platforms. Their comparative analysis with respect to ChatGPT, Bing AI, Khanmigo and Elicit showed ALES as the only tool among those evaluated to combine domain-specific academic corpora, with citations and ethical safeguards in a single system.

The Q-Module-Bot developed at Queen Mary University of London by Allen et al. (2024) shows the organizational dimension of system design. Rather than optimizing the performance of the model, priority was given to the alignment with the stakeholders: a survey conducted with 11 people among academics and teachers of the School of Electronic Engineering and Computer Science revealed that 60% of the participants agreed finding the time to respond to students a key challenge, while 50% judged the existing tools not very intuitive. These results led to the architecture of the system, a question-and-answer bot that uses OpenAI's Embeddings APIs to generate vector representations of the content extracted from the university's VLE (QMPlus) through BeautifulSoup and Selenium, and GPT-3.5 Turbo to generate the responses, all served through a Flask web application. An evaluation was also conducted, with the participation of five academics and five students, which returned largely positive usability scores: 9/10 confirmed the ease of use of the tool, and 10/10 agreed on the fact that it could be extended to other modules. The authors, however, pointed out that the reduced size of the sample limits the generalizability of the results, but the contribution of the study consists in having established a replicable workflow centered on the teacher for those who implement without technical skills.

Cheng et al. (2025) compared a scaffolding-based LLM-driven chatbot with a traditional chatbot, in an introductory Python programming course at a Hong Kong university, composed of two groups of 40 university students each. The chatbot with scaffolding proposed multiple-choice questions, guiding questions, hints and error-specific feedback, generated through prompt engineering on a set of instructions curated by the teacher. The scores on the test were significantly higher in the group with scaffolding (M = 26.55)

compared with the conventional group (M = 20.65), with both groups having started from statistically equivalent initial levels. The students of the group with scaffolding also reported greater gains in problem-solving abilities (65% against 30%) and lesser concerns about excessive dependence (43% against 63%). The main indication that emerges from this study is that integrating a system based on scaffolding improves the learning outcomes appreciably and reduces the risks typically associated with open-structure AI tutoring.

J. M. Chen et al. (2025) instead investigated whether virtual teachers generated by AI influence learning in a flipped classroom, with 124 first-year design students at a Chinese university. The AI avatar, produced through iFLYTEK, was created with parameters similar to the real teacher for age, gender, ethnicity, voice, gestures and facial expressions. The results did not show significant differences in academic performance between human teachers and AI teachers, but the virtual teachers generated a much higher emotional engagement, probably due to the effect of novelty. The informal, or conversational, style, on the contrary, had a constant impact: it improved academic performance (adjusted M = 83.40 against 74.56 for the formal style), lightened the superfluous cognitive load and increased the active participation of the students. The practical implication is that the teaching style counts much more than the fact that the teacher is human or generated by AI, which makes the informal style a strong lever when educational content based on AI is produced.

Henne et al. (2022) provided a systematic overview of the components that a digital assistant in higher education should have, proposing a classification in four parts, through a scoping review that examined 167 contributions and analyzed 52 of them: communicator (questions, answers and chatbot), planner (management of the courses and of time), motivator (gamification, rewards) and analyzer (processing of the information on the student's progress and returning of feedback on the learning). The main result is that most of the existing work focused almost exclusively on the role of communicator, 26 contributions out of 52, leaving the other three components relatively uncovered. In particular, the planner turned out to be the least represented, since it was present in only 8 contributions. This characteristic seems to be present also in more recent projects, which continue not to integrate planning or motivational functions.

Thway et al. (2025) instead describe Professor Leodar, a chatbot with a RAG system for a course in data science and artificial intelligence for materials science students at Nanyang Technological University. Initially, it was powered by GPT, but subsequently it moved to Anthropic's Claude 3 Sonnet on 11 March 2024. The knowledge base was built with the lecture notes of the course, Jupyter notebooks and textbooks. Over the course of an entire

semester, 154 students generated 12,334 interactions, with peaks of use during the continuous assessments and the capstone, particularly evident outside the regular lesson hours, confirming how much the 24-hour availability is appreciated. An evaluation, based on structured questionnaires (n=34) and focus group discussions (n=15), found that 97.1% of the participants in the questionnaire had a positive experience. The students appreciated in particular the step-by-step explanations with scaffolding and the personality of the chatbot (Singlish-speaking), although the international students found the linguistic style less accessible.

At the extreme of design, Schell et al. (2025) describe UT Sage, a dual-function platform developed at the University of Texas at Austin. The builder-bot component accompanies the teachers through a structured conversation of instructional design, collecting characteristics of the learners, learning objectives, common misconceptions and course materials, and uses all these inputs to configure a tutor bot addressed to the students and founded on the Tetrahedral Model of Classroom Learning. The system works with Claude 3.5 Haiku and Claude 3 Sonnet through a RAG pipeline, with active protection of the data, as per the security standards of the university. A test was conducted, called Alpha, which envisaged two deployments: one tutor bot was provided to 15 graduate students during a face-to-face lesson, while another was made available as a preparatory resource to 60 bachelor's degree students in view of the final exam. Of the 75 users with access, only 14 provided feedback, which limits the effectiveness of the results. The teachers praised the accuracy of the responses and their alignment with the declared learning objectives, while the students reported mainly technical errors, together with the request for shorter responses and a smaller number of consecutive questions. The UT Sage case is very important because it is one of the few cases that addresses the gap in technical knowledge on the part of teachers in matters of instructional design.

Silva et al. (2024) proposed an intelligent tutoring system (ITS) called Juh, built on the low-code platform Blip, for training in project management. Unlike most of the systems described in this paragraph, Juh addresses the problem of learning style in an innovative way: it saves the profile of the student at the beginning of the first interaction, using a questionnaire of five items based on Ausubel's theory of meaningful learning proposed by Howland, Jonassen and Marr. After that, it personalizes the subsequent activities along five dimensions: active, constructive, intentional, authentic and cooperative. An evaluation was also conducted with nine participants: five bachelor's degree students, a graduate student and

three teachers. The results confirmed good usability scores, with agreement rates above 80% for usefulness and 90% for ease of use.

Sedrakyan et al. (2024) focused instead on the Learning Management System (LMS) at the University of Twente. In detail, a co-design study was conducted involving 58 participants, among students, doctoral candidates and teachers, which investigated the requirements for a StudyBuddy AI system. Interviews and co-creation questionnaires were conducted in order to understand the preferences of the stakeholders. The results highlighted several desired functionalities: linking to the course materials, reminders about deadlines, the automatic adjustment of the difficulty according to the academic level, personalized support to learning, the management of tasks and time, the generation of quizzes and the encouragement to the autonomous resolution of problems. However, the concerns relating to excessive dependence, to the accuracy of the information and to the potential erosion of the student-teacher interaction were equally relevant, which indicates the need for chatbots that help the student in reasoning instead of limiting themselves to providing the correct answer.

Ferrettini et al. (2026) presented SIMBA, a tool that allows teachers to create chatbots by defining learning objectives and scaffolding through an interface that is generally simple to use, even without technical skills. If configurated in this way, the chatbot behaves like a study companion, which encourages the student by guiding him step by step to the solution, without providing the correct answer. Another characteristic is a dashboard that allows the data and the statistics of use of the students to be visualized. In this way, the teachers can keep an eye on the length of the messages, the participation in the activities and the conversational patterns. SIMBA was also evaluated in a workshop with eight teachers of Computer Science and Psychology. The results highlighted the usability of the platform positively and pointed out, in particular, the possibility of monitoring the learning of the students and any gaps through the dashboard.

The main contribution of this project is given by the possibility that the teacher has of becoming an active part in the process of creation, rather than being a passive spectator as in most of the other digital educational systems.

Leal et al. (2025) described instead the development of AILA, an application of support to learning with a chatbot distributed in Brazil, available to a university network of over 400,000 students. AILA proposes first of all a series of questionnaires to classify the students according to a taxonomy of four levels, from inexperienced to advanced, and to generate personalized content curated by the teachers. The system was built with Vue.js, .NET 6,

Python/Flask and MongoDB, following the Scrum methodology. At the level of use, over the course of six months, about 24,054 students used AILA, and 14,432 completed all the questionnaires; the reported performance rate of the system was 80.6%, which means that in many support requests no malfunction was recorded. The most important contribution of this project lies in having demonstrated that it is possible to deploy a project of this type on a large scale, integrating it successfully into the university institutions.

In the whole of this block of studies, a series of patterns emerges that are recognizable from the various projects. The RAG anchoring to validated institutional documents is widely shared as an approach to obtain greater accuracy and the greatest possible control over the hallucinations. The integration with the existing LMS infrastructure is appreciated both by the students and by the teachers, in particular for the possibility of reducing the switching between platforms. The usability for teachers without technical skills is a recurring concern, which pushes towards the adoption of low-code platforms accessible to everyone.

Finally, from these studies it emerges that the mechanisms of transparency, the citation of the sources and the control mechanisms for off-topic responses have become more and more a necessity rather than an optional functionality.

3.3 User Adoption, Acceptance, and Perception

A consistent part of the most recent literature related to AI-based chatbots in higher education tends to analyze the behavior of the users and the acceptance of this type of technology. These types of studies focus on the factors that could influence the adoption of these tools on the part of students and teachers, and try to anticipate the concerns relating to the interaction with the AI.

The most shared and widespread theoretical frameworks are the Technology Acceptance Model (TAM), the Unified Theory of Acceptance and Use of Technology (UTAUT), the Diffusion of Innovations theory and the STIN (Socio-Technical Interaction Network) model. Nanang et al. (2025), using DeLone and McLean's information systems success model combined with the TAM, administered a questionnaire to 70 users, students and teachers, at an Indonesian Islamic university regarding their experience with ChatGPT. The analysis of the results confirmed that perceived quality determines both perceived usefulness and user satisfaction, while perceived usefulness affects the perceived benefits directly. Moreover, the relationship between use impact and net benefit is not supported by the data, which

suggests that the more relevant consequences deriving from the use of the system, including dependence, productivity and efficiency, do not automatically translate into substantial educational outcomes.

The factors that condition the adoption of chatbots with respect to non-adoption are examined rigorously by Dai (2025) in an experiment with 403 engineering university students at a research-oriented university. Every student was given access to a chatbot powered by GPT-4 for a group project centered on design lasting ten weeks. Only 59.8% of them reached a significant level of use; the remaining 40.2% instead reported little interest in the experiment. The qualitative analysis of the design journals and of the interviews coming from the focus groups revealed four integration patterns: brainstorming, mediation of the discussions with the teachers, help in the gaps regarding non-technical skills and help in finding blind spots in the design solutions. Those who instead decided not to use the chatbot encountered four barriers: the intrinsic limits of the output (generic or imprecise answers), the poor adaptation to the dynamics of a collaborative group project, the lack of prompt engineering skills and a perceived conflict with the objectives of the course relating to the development of abilities to solve problems autonomously.

The study is particularly valid because it puts into question the common assumption according to which engineering students are naturally among the first to adopt AI.

Ayanwale (2024) applied the Diffusion of Innovations theory to 842 students of the National University of Lesotho, using structural equation modelling with SmartPLS to compare the adoption of chatbots between STEM and non-STEM students. The results revealed specific patterns depending on the discipline attended: STEM students showed a significant positive relationship between perceived complexity and adoption intention, which means that even perceived difficulty did not discourage adoption, while observability determined adoption among non-STEM students; that is, the students were more inclined to use it if they saw classmates using the tool with concrete results on their work. The result implies that adoption strategies should be differentiated by academic discipline, contrary to the tendency to introduce homogeneous solutions.

Bilquise et al. (2024) instead analyzed students' acceptance of a hypothetical academic advising chatbot at two important universities in the United Arab Emirates, using PLS-SEM on 207 responses. No chatbot was deployed in the study, in fact, the authors considered students’ previous experience. Contrary to the standard predictions of the TAM, perceived usefulness, student autonomy and trust did not affect in a significant way the adoption of the chatbots.

The authors try to explain these results with the students' limited experience with chatbots for service-related tasks and with the novelty of AI-driven technology in the education sector. Perceived ease of use and social influence were instead confirmed as determining factors. Moreover, anthropomorphism is reported by the authors as almost significant ($p=0.107$ with $\alpha=0.10$), which suggests that students prefer chatbots with some socio-emotional intelligence rather than purely robotic exchanges. These results diverge from the results obtained in general chatbot contexts, which the authors try to explain with students' preference, particularly in the early years, for human contact rather than self-service technology.

Saihi et al. (2025) instead decided to share a questionnaire with 195 students and teachers of three different academic disciplines, engineering, business and medicine, using PLS-SEM founded on TAM and UTAUT. The study examined AI chatbot adoption, user satisfaction, and perceived learning performance. Perceived ease of use, usefulness, efficiency, social influence and facilitating conditions emerged as factors that positively influence adoption. Other paths were instead not confirmed: perceived ease of use, in fact, did not affect learning performance nor user satisfaction. Moreover, social influence had no effect on learning performance and facilitating conditions did not influence user satisfaction.

Technological proficiency, on the contrary, showed several patterns depending on the level, with lower-proficiency users influenced more by facilitating conditions and ease of use, while higher-proficiency users benefited more from perceived usefulness and efficiency with regard to adoption, satisfaction, and learning performance.

Academic discipline, contrary to expectations, did not contribute significantly to any of the hypothesized relationships. The authors propose two explanations: that the basic functionalities of the chatbots are found in all fields independently of the discipline, and that the novelty of the technology may have provoked a shared initial reaction.

Esiyok et al. (2025) investigated the acceptance of AI chatbots among 414 university students, applying PLS-SEM to a TAM model and extending it both with ICT self-efficacy and with Self-Directed Learning with Technology (SDLT). The data were collected in April 2023, shortly after the release of GPT-4. The study stands out because it measures the actual use of the chatbot, and not only the declared intention to use it: a distinction that, as the authors point out, is rarely verified empirically. ICT self-efficacy influenced only perceived ease of use and not perceived usefulness, while both ease of use and perceived usefulness influenced in a significant way the intention to adopt the technology. SDLT showed a direct

positive effect both on intention and on actual use, although both effects were small in magnitude ($\beta = 0.109$ and $\beta = 0.127$, respectively, $f^2 = 0.02$).

Suryanto et al. (2025) investigated the adoption of chatbots in Indonesian higher education, submitting a questionnaire to 299 university students using SEM. The study combined the TAM with the Socio-Technical Interaction Network (STIN) framework, which underlines that adoption depends not only on individual perceptions but also on the ecosystem. Performance expectancy and facilitating conditions influence behavioral intention in a significant way, while effort expectancy does not, a result that the authors attribute to the fact that Indonesian students give priority to tangible benefits with respect to ease of use, particularly in a context in which chatbots are seen as an alternative to the teacher, given the limited availability of teachers.

Facilitating conditions did not affect adoption, but they improved behavioral intention, which was the strongest predictive factor of actual use ($\beta = 0.734$). The study proposes the STIN model as a practical guide for institutions, recommending investment in digital infrastructure and the involvement of the teaching staff. Koh et al. (2023) maintain that AI should be considered as a sort of partner rather than being feared as a threat. The teacher, with his contribution, turns out to be fundamental and not replaceable in the capacity to inspire, to guide and to create a genuine connection with the students, all characteristics that AI cannot replicate.

Sartono et al. (2023) examined the intention of use of chatbots among Indonesian university students using an extended TAM model. The study found that perceived usefulness, perceived ease of use, perceived trust, functionality, and interactivity all positively influence the intention to use chatbots, with all hypotheses supported through PLS-SEM on a sample of 225 students.

Guo and Erdenebold (2025) went deeper instead into the intention of Chinese university students to adopt AI chatbots using an integrated approach of PLS-SEM, IPMA and ANN with 635 responses. In all three analytical methods, perceived enjoyment emerged as the key factor for the adoption of the technology, followed by perceived trust, while effort expectancy and social influence showed no effect, which suggests that affective engagement and trust prevail over usability considerations in this context.

Saihi et al. (2024) developed and validated a complete SEM model of adoption of chatbots among 192 students and teachers. The results revealed largely positive perceptions towards the tools, with perceived usefulness and efficiency as the strongest factors for adoption, while trust, privacy and information quality stood out among the most widespread concerns;

in particular, the personalized learning experience did not predict adoption in a significant way.

Duda et al. (2026) administered a questionnaire to 408 students at a Polish university to analyze experiences related to the use of chatbots. The results showed that students commonly use ChatGPT to study, although they have concerns regarding privacy, security, potential disinformation, and the possibility of educational inequalities. Finally, few considered the institutional guidelines for a responsible use of chatbots to be clear.

Carcary and Buckland (2025) explored the perceived risk in the adoption of generative AI with an investigation carried out among 290 student teachers enrolled in initial teacher education programmes in Ireland. From the data, there emerges a moderate negative correlation between the overall perceived risk and the adoption intention: the higher the perceived risk, the lower the propensity to use the tool. The four main risk categories are academic misconduct, disinformation and biases, data confidentiality and excessive dependence, although the strength of every single relationship turns out to be weak or moderate.

In this block, several results emerge. Adoption is not universal nor automatic, even among students with digital skills. The barriers to use are often rooted in a lack of prompting skills and in concerns about the impact on one's own personal growth, rather than in discomfort with the technology itself. Social influence and institutional support play a significant role in encouraging use: adoption is therefore a social and organizational process before being a technological one. It is not enough to make the tool available: it is necessary that the students see their classmates use it with concrete results, that the teachers legitimize its use instead of treating it with suspicion and distrust, and that the institution offers specific training on how to employ it.

3.4 Impact on Student Learning and Academic Performance

The theme according to which AI-based chatbots actually improve students' learning is perhaps the most important and most discussed. The studies in this block vary between controlled experiments and quasi-experimental designs, case studies and analyses.

The documents analyzed use different metrics to evaluate students' actual performance improvement, including academic grades, comprehension of concepts, critical thinking, and whether knowledge is consolidated over the long term.

Sánchez-Vera (2025) conducted an intervention lasting one month with 42 volunteer students in a course of Early Childhood Education at the University of La Laguna. A GPT chatbot powered by Chatbase and trained on the course materials and on the previous exams was chosen. The students generated 704 interactions over the span of 186 conversations. The quantitative analysis revealed a non-linear relationship between the intensity of interaction and the performance: students with a moderate use (11-20 interactions) obtained an average exam score of 6.58, compared with the 4.92 of the users with reduced use and the 6.00 of the users with very high use (more than 30 interactions). However, the highest average score (8.00) was recorded in the group with high use (21-30 interactions), although this group was composed of only two students, which obviously represents a limitation.

The overall pattern suggests that moderate utilization supports learning, while a more substantial use can be harmful because it could limit a deeper study. This interpretation is coherent with the weak positive Pearson correlation found between the number of interactions and exam scores ($r = 0.186$, $p = 0.05$).

From a qualitative point of view, instead, students appreciated the immediacy of the chatbot and the reduced anxiety in asking questions to a tool that does not judge you, but they also recognized that it could not replace an in-depth study of the course materials.

Tian and Zheng (2025) examine the impact of AI on the skills of the 21st century: creativity, communication, collaboration and critical thinking. Through a meta-analysis of 39 experimental and quasi-experimental studies, they found a moderate overall positive effect (Hedges' $g = 0.624$), with the largest effects observed for collaboration and communication, while creativity and critical thinking showed smaller but nonetheless statistically significant effects.

No significant differences were found among the four skills. Several factors played a significant role, among which the school level, with primary school students showing the most concrete gains; the type of AI technology; the area of application; and the learning device, with the smartphone associated with the largest effect size, although based on only three effect sizes.

Gharbaoui et al. (2025) explored the role of a GPT-4 chatbot based on RAG, involving 52 university students in a course of economics and management. Using a two-phase crossover design, the students could alternate individual work with collaboration in small WhatsApp groups with the support of the chatbot. The chatbot was designed to intervene only after the students had tried to answer, rather than providing direct answers. In both phases, the experimental group obtained better results with respect to the control group.

Dæhli et al. (2024), instead, examined DbPersist. It is a web tool for learning databases enhanced with an “Ask AI” button, able to generate prompts adapted to the exercise that the student is trying to carry out. After that, the student can copy and paste the prompt into a chatbot of his choice.

The prompts then instruct the AI selected by the student to act as a teacher who provides motivating feedback based on hints, without revealing the correct answer.

Among the 57 respondents to the questionnaire, 76% agreed that they learn more from the hints than from the direct solutions, 58% found the guidance generated by the AI useful for resolving the problems, and 64% believed that the approach could be applied usefully to other courses.

The students moreover appreciated the transparency in being able to access and modify the prompt, and they appreciated the possibility of asking questions to a chatbot, overcoming the barrier created by the fear of asking a question to a teacher.

Yigci et al. (2025) provide a broad review of LLM-based chatbots in higher education, asserting that tools like ChatGPT offer valid opportunities for personalized learning, the development of curricula and the support to research, but the unresolved concerns regarding academic integrity, biases, hallucinations and data privacy continue to limit their systematic adoption among institutions.

Murali et al. (2024) evaluate five AI chatbots among themselves with real student answers in three computer science courses mapped onto levels 1-4 of Bloom’s taxonomy, finding that the performance of the chatbots is acceptable at the lower cognitive levels (BTL 1-2) but worsens in a significant way for the higher-order and algorithmically complex questions, with GPT-3.5 obtaining the best results overall, while nonetheless not passing at all the tasks of the advanced course.

El Mourabit et al. (2025) reviewed 39 studies on chatbots in higher education. They found that AI-based chatbots personalize learning better than rule-based systems, because they adapt their feedback to the student, and that access from mobile devices increases engagement. Two problems remain: the training data is limited, and chatbots cannot take the place of teachers in developing critical thinking.

Niño-Juárez and Menchaca Torre (2024) instead tested an AI teaching assistant (Noodle Factory) with mechatronics engineering students, finding only a marginal improvement in the learning outcomes with respect to a control group and contrasting results on engagement, with restrictions of the platform and a limited knowledge base among the main barriers to a more positive experience.

Su, Hsu and Chen (2026) developed an error feedback system enhanced with ChatGPT (CEF) integrated into an Online Judge platform for a C/C++ programming course, finding that the CEF reduced in a significant way both the compilation errors and the logical ones in the experimental group and that the Epistemic Network Analysis revealed a shift in the debugging behavior, from cascading basic errors towards more targeted and higher-order programming challenges.

Crawford et al. (2024) administered a questionnaire to 387 university students, finding that the use of AI chatbots promotes an increase in the perceived social support coming from AI, and that this support is in turn negatively associated with the support perceived from other people. The study finds no direct effect on academic performance or on the intention to leave university, but identifies a indirect negative effect on both, mediated by psychological wellbeing and sense of belonging. This discovery suggests that when students use AI rather than speaking to teachers or coursemates, this can compromise academic success and increase the probability of leaving university.

Arévalo-Cordovilla and Peña (2025), instead, conducted a PRISMA review of 46 studies published from 2019 to 2024 that involved the use of ML predictive models and AI-based chatbots, applied in higher education contexts.

The main results emerging from this study concern several topics, among which the accuracy in predicting dropout. In particular, neural networks, random forests, and hybrid models can reach accuracies above 90%.

Other important results concern the chatbots that use NLP and Transformer architectures. In particular, these systems show a very high conversational performance (the best value, a reported F1 of 99.75%, comes from a chatbot based on a multilayer neural network), and gains in student engagement and in academic results (+25% in one study on a deep-learning platform).

The authors state that these two technologies are complementary, but they reiterate that the opacity of the algorithm, the biases in the data and the irreplaceable role of the human connection remain critical challenges for an ethically grounded implementation.

The overall picture that emerges from this block is optimism with some uncertainty.

Chatbots can sustain learning; in particular, they can help to clarify notions and self-regulated study. The effects are proportional to the quality of the implementation, and in particular to the fact that the tool is designed to promote thinking rather than to replace it. The use-benefit effects are not linear: there is a zone of productive engagement, beyond which excessive utilization is dangerous to education. Finally, the studies consistently

underline the need not to replace traditional study techniques with AI, but to use chatbots in a moderate way as study assistants.

3.5 Ethics, Academic Integrity, and Algorithmic Bias

The rapid spread of chatbots in educational contexts has generated a discussion on their ethical implications. The contributions of this block explore three concerns: academic integrity and the redefinition of assessment in a post-plagiarism era; the risk that algorithmic bias reproduces or amplifies existing inequalities; and the broader structural challenges of responsible governance of AI in the initial education of teachers and in the contexts of second language learning.

Ahmed et al. (2025) propose MARBLE (Multifaceted Assessment of Responsible Use and Bias in Language Models for Education), developed at Arizona State University, a framework useful for evaluating biases and compliance with responsible use of several LLMs. Using 215 instances, generated by GPT-4 and Claude Sonnet, 131 covering 18 cognitive and social biases in six different contexts and 84 the responsible use categories. With the LLM as a judge evaluation methodology, the study found a substantial variation among the models. Claude Haiku obtained the highest average score (0.98) among all the models evaluated, with 96.28% of the responses judged as less biased or unbiased and no clearly biased response, while Google Bison and Cohere Command-Light showed significantly higher rates of biased responses. Particularly relevant was the failure to flag, by the Command-Light model, a privacy violation request which concerned the disclosure of the disability registration status of another student, in contrast with the appropriate refusal of GPT-4o.

The MARBLE framework is significant because it provides institutions with a tool for evaluating LLMs at the basis of the chatbots.

Neumann et al. (2023) present a position paper on the implications of ChatGPT for higher education, concentrating on software engineering and on scientific writing. Starting from a review of the literature and from tests of the tool conducted by the authors themselves, they identified five challenges, among which the absence of rules of use, the incoherent practices of the lecturers and the risk of plagiarism, and three opportunities relating to personalized tutoring, to creativity and to didactic innovation.

A result to be pointed out from their tests is that the plagiarism detectors with university license did not manage to identify the text generated by ChatGPT.

The authors moreover propose recommendations in four areas: teaching, papers, curricula and regulations, stating that using ChatGPT cannot be avoided and that guided integration is necessary to prepare students for responsible use in academic and professional life.

Eaton et al. (2026) instead analyzed how staff in Canadian higher education interpret the ethical boundaries in assessing students' skills. In particular, they conducted interviews with 28 members of higher education staff, asking them about their experience of assessment in a post-plagiarism era. From the interviews collected, it emerges that teachers consider acceptable if the students use AI to learn how to write good prompts and to reason in a critical way. One point, however, remains highly debated: writing. They stated that using the chatbot to find ideas or to correct grammar is acceptable only as a starting point, or after the student has already worked on the task, but writing the text remains a human task that cannot be delegated to AI. What worries them most is the flattening of language, dependence on the tool, no longer knowing who is really the author of a text, and the impossibility of demonstrating a cheat. The study therefore shows how the participants themselves draw these boundaries, a theme that directly concerns the reliability of assessments.

Dakakni and Safa (2023) investigate the attitudes of students and English language teachers towards AI tools at a private university in Beirut, Lebanon, with 49 students and 12 interview participants. About 85.2% of the students reported using AI for academic purposes, with 89.4% declaring that they would do so if the institutional penalties were removed, while preferring human teachers to bots. The majority (67%) of the teachers expressed distrust to these tools, and a larger share welcomed the training mainly for the monitoring of plagiarism. A “love/hate” relationship with the AI emerged, together with concerns about the algorithmic bias and the risk of producing graduates lacking critical skills in professions of high responsibility. The study proposes a revision centered on “AI-proof tasks” that put the critical evaluation of students in the foreground.

Considered as a whole, these studies bring to the foreground ethics and biases as unresolved problems in the integration of AI into higher education. Ahmed et al. demonstrate that bias is not a hypothetical risk but a measurable and model-specific phenomenon, with some systems that do not flag privacy violations or generate discriminatory outputs with harmful consequences for the students.

However, technical detection frameworks are not sufficient on their own: Eaton et al. and Dakakni and Safa reveal that the ethical boundaries are also shaped by the teachers’

conceptions of authentic learning and by institutional cultures that have yet to develop coherent guidance. Dakakni and Safa warn that a non-reflective adoption of AI risks consolidating the existing digital divides and producing graduates lacking the critical skills required in professions of high responsibility.

In all the studies, the need for transparent governance, a selection of models aware of the biases and frameworks solid enough to protect academic integrity emerge.

3.6 Systematic Reviews and Bibliometric Analysis

The final block consists of a unique but methodologically significant contribution: a bibliometric analysis of the literature on chatbots in higher education conducted with VOSviewer. In detail, Fong et al. (2025) processed 501 Scopus-indexed records to map the evolution of research themes and identify emerging themes. The main results include a sharp acceleration in publication volume and a significant peak after 2022, which coincides with the release of ChatGPT in November 2022. The keyword analysis identifies the most frequent terms as higher education, chatbots, artificial intelligence, students and ChatGPT. It is to be noted that the bibliometric map reveals a limited collaboration among the institutions: 424 clusters were identified among 1,606 authors, which suggests that researchers work mainly within their own institutions, potentially hindering the development of replicable unified frameworks.

An important result that emerges from the analysis is the geographic distribution: the countries that publish the most are the United States of America (61), followed by India (47) and the United Kingdom (44). However, a high number of publications does not automatically imply a relevant scientific impact. Indeed, Singapore (1,311) and Australia (1,032) lead the citation ranking, despite a lower volume of publications. This distribution raises the question of the generalizability of the results to different countries and cultures.

4. Proposed method

This chapter presents the proposed method for developing and evaluating the two tools that are the subject of this thesis. Every choice is guided by empirical verification, so that decisions are not taken a priori but validated. The chapter therefore defines the evaluation instruments and the conception of the two chatbots, while their application to the concrete case of the AMPS course is addressed in Chapter 5.

The proposed method unfolds as a sequence of steps, each validating a design choice before moving to the next. The first step is the diagnosis of the existing chatbot, to establish its limitations and motivate its reconstruction. The second is the improvement of the knowledge base, used to feed the candidate platforms uniformly. The third is the selection of the platform, comparing the alternatives under equal conditions. The final steps concern the validation of the two resulting tools through the students' perception. The third step relies on an instrument described in this chapter: the technical evaluation rubric (Section 4.1) provides the objective measure used in the diagnosis and platform-selection steps; the conception of the two tools (Section 4.2) defines the objectives and requirements that guide both the diagnosis of the existing system and the selection criteria; and the perception instruments (Section 4.3) are used in the validation with students. The concrete application of this method to the AMPS course is developed in Chapter 5.

The two types of evaluation answer different and complementary questions. The technical rubric measures the quality of the answers and is applied by the author; the perception instruments collect the students' subjective judgment. Consistent with what is discussed in Section 2.5, the latter measure perceived usefulness and experience, not actual learning.

4.1 The technical evaluation framework

The analysis of the chatbots' performance is carried out through an evaluation grid that assigns each answer a score on a scale from 0 to 2, across four criteria. The four criteria are completeness, coherence, citation, and calculation correctness. The descriptors are presented and explained in table 3.

Criterion	0	1	2
Completeness	No meaningful answer	Correct but minimal answer, lacking explanatory context	Comprehensive answer, fully covering the topic
Coherence	Terms, notations or formulations entirely different from those used in the course	A mix of formulas and concepts taken partly from the slides and partly from external knowledge	Fully coherent: uses only the course's terminology and formalisms
Citation	No source cited	Partial, generic or imprecise citation (reference to the document without specific details)	Correct and complete citation, with reference to the correct source file
Calculation accuracy	Incorrect or missing procedure	Correct procedure but incorrect numerical result (e.g. arithmetic or unit error)	Correct procedure and correct numerical result

Table 3 - Descriptors of the scoring levels (0-2) for each criterion of the technical assessment rubric. The "calculation accuracy" criterion applies only to numerical questions.

In particular, the criterion concerning the correctness of calculations is used to evaluate only questions that involve calculations and numerical exercises requiring precise results. As discussed in Section 2.1, an LLM is not always reliable in exact computation, since it produces text token by token on a probabilistic basis. The intermediate level of this criterion applies to an answer in which the procedure leading to the solution is correct but the numerical result is wrong. In contrast, the lowest level applies to an answer that is incorrect in the procedure as well. These two values make it possible to clearly distinguish a numerical error from a conceptual one and assign them two different degrees of importance.

To ensure the comparability of the method, all chatbots are evaluated on the same questions, so that the differences in the final score are entirely due to lower capabilities and not to differences in the questions asked. The set of questions includes both theoretical questions, evaluated on the first three criteria, and numerical questions, with exercises on the course content, evaluated on all four. The evaluation was carried out by the author, applying the scores defined a priori for each criterion, to make the process as repeatable as possible and to limit subjectivity in a qualitative assessment.

In this project, the scores of each question are not summed into a final value that identifies the best tool; rather, they are used to build a profile for each chatbot, reporting the result obtained on each criterion. This choice accounts for the fact that numerical questions have one additional evaluation criterion, and thus prevents the comparison from being distorted. Moreover, this evaluation method is also functional: it highlights the strengths and

weaknesses of each alternative, allowing more informed decisions depending on what is sought in the tool.
The rubric is applied in the comparison among the candidate platforms (Section 5.4).

4.2 Conception of the tools

This section presents the two tools of the project, defining their objectives and requirements. The two chatbots respond to different needs and have different origins: the course tutor arises as a reconstruction of an already existing tool, while the assistant for exam feedback is an original contribution of this thesis. For both, the requirements are derived from the theoretical principles of Chapter 2 and from the literature review of Chapter 3, to ground every design choice on an explicit rationale. This description concerns what the tools must do and why, independently of the technology with which they will be implemented, which is addressed in Chapter 5.

4.2.1 The course tutor

The tutor for the AMPS course is based on the diagnosis of an existing chatbot created by former students of Turin's Polytechnic. The requirements for the course tutor therefore derive both from characteristics that emerged from the review of the existing literature (Chapter 3) and from the weaknesses highlighted by an evaluation of the original system.
The first fundamental requirement of the new chatbot is grounding in the course material, provided directly by the professor. The answers of this digital tutor must indeed rely exclusively on the course material to provide reliable and verified explanations. Linked to this is traceability: at the end of each answer, the chatbot must also report the set of slides or the source from which it drew its knowledge, to give students the possibility to verify the information themselves or to explore the topic further. A third requirement is the use of the terminology and formalism found in the course slides. It is also valuable to provide just-in-time support to students during independent study, and at no cost to the users. A further constraint is a guardrail that prevents the tool from answering off-topic questions. In this way, the tool is kept from responding to general questions unrelated to the course, limiting possible violations of privacy or of university regulations.

4.2.2 The exam-feedback assistant

Unlike the tutor, the assistant for exam feedback is an original contribution of this work, born from a real educational need: understanding the mistakes made in an exam, overcoming the problem of the large number of students who request to review their own exam. Indeed, many students wish to ask the professor for explanations, which translates into very long waits and limited time available to confer with the instructor. As discussed in Section 2.5, individual support is the most effective but also the least sustainable on a large scale. In this sense, the assistant aims to make feedback on one's own exam paper accessible to every student.

The requirements of this tool therefore derive from this objective and from the review of the literature in Chapter 3. First, the student's handwritten paper must be provided to the chatbot, available only as a scanned document. As discussed in Section 2.4, converting the handwritten paper into text depends on the quality of the OCR, which is the main critical factor. If the OCR fails to transcribe the student's paper correctly, this could compromise all subsequent steps. Next, the feedback must have access to the instructor's official solution as the sole source of truth: as described in Section 2.2, the comparison takes place in a controlled way and not with the model's general knowledge. Finally, the feedback must be formative and not merely corrective (Section 2.5): it must not limit itself to stating whether an answer is right or wrong. Still, it must indicate where the error lies and why, providing the correct solution. The main constraint here concerns neutral and encouraging language: the chatbot must not judge or grade the student's paper, as that is a task reserved for the instructor.

4.3 The perception measurement instruments

The overall evaluation of the two chatbots relies on two perception measurement instruments developed within a thesis parallel to this project, focused on measuring and assessing the user experience. Both collect the students' perception, not an objective assessment of the quality of the answers: consistent with Section 2.5, what is measured is perceived usefulness and experience, not the students' actual learning. Given the different nature of the two chatbots, two distinct measurement instruments were used.

4.3.1 The tutor perception questionnaire

The course tutor was evaluated through a questionnaire administered to the 13 students at the end of the testing session. First of all, the questionnaire is anonymous and begins by collecting information such as any prior experience with artificial intelligence tools.
Subsequently, the questionnaire continues with a series of statements rated on a five-point Likert scale, which allows answers ranging from "strongly disagree" to "strongly agree". These questions aim to investigate the students' user experience: the perceived ease of use, the perceived usefulness for studying and exam preparation, the perceived quality of the answers, and the trust in the tool. Two statements relate to the themes of Chapter 2: one concerns the fear that excessive use of the tool might impair the capacity for independent reasoning, and one concerns the perception of the tool as compatible with academic integrity. The questionnaire ends with a few open-ended questions for qualitative feedback. The complete questionnaire is reported in Appendix A.

4.3.2 The exam-assistant evaluation grid

8 students evaluated the assistant for post-exam feedback through a different instrument. After using the assistant, each student expressed a judgment on four criteria rated on a scale from 0 to 2, in steps of 0.5: coherence, completeness, clarity, and correctness. In addition, there was the possibility of adding a free comment on the experience. It is important to note that, although some of these criteria are the same as those described in Section 4.1, their purpose is different: here the scores are expressed by the students as a judgment of subjective perception, and not by the author as an objective assessment of the quality of the answers. A high score on "correctness", for example, indicates that the student perceived the answer as correct, not that its correctness was independently verified. The evaluation grid is reported in Appendix B.

5. Case study: Application to the AMPS course

This chapter describes the application of the method defined in Chapter 4 to the concrete case of the Analysis and Management of Production Systems course. While the previous chapter defined the evaluation instruments and the conception of the two chatbots, here the process is put into practice step by step, reporting the results obtained at each stage.
The path follows the sequence introduced earlier. After framing the context of the course (Section 5.1), the existing chatbot is diagnosed to establish its limitations and to motivate its reconstruction (5.2). The shared knowledge base is then improved (5.3) and, on top of it, the candidate platforms are compared to select the one on which to build the tutor (5.4). The two following sections describe the implementation and the validation with students of the two tools: the course tutor (5.5) and the exam-feedback assistant (5.6). The concluding discussion (5.7) gathers the overall results and highlights their limitations.

5.1 Context: the AMPS course

The Analysis and Management of Production Systems (AMPS) course is a first-year course of the Master's Degree in Management Engineering at Turin's Polytechnic, taught by Professor Giulia Bruno, the supervisor of this thesis project.
The course aims to analyze the performance of production systems: it provides students with the analytical tools to estimate the main performance measures of a production system and to understand how variability and configuration choices influence them.
The course combines a solid theoretical component with exercises that are at times complex, covering the topics addressed in a cross-cutting way. This dual nature is particularly relevant to the present thesis project. Numerical exercises, in fact, require precision in the result and in the intermediate steps: they are therefore a critical testing ground for an LLM-based chatbot which, as discussed in Section 2.1, generates text on a probabilistic basis and presents an intrinsic limitation in exact computation.
What also makes the case study interesting is the size of the course, which counts more than 200 students. With a single instructor and so many students, individual support becomes hardly scalable, with the instructor representing the bottleneck of the system. In particular, the two tools developed in this thesis project aim to reduce the existing distance between teacher and students: both during independent study, when a student encounters a doubt but

has no immediate access to the instructor, and in the exam-review phase, when many students come to office hours to understand their mistakes, with consequently very long waits and little time available to confer with the professor.

5.2 Diagnosis of the existing chatbot

5.2.1 The starting system and the access constraint

The starting point of this work is the chatbot developed by the students of previous years of the course, built on the Microsoft Copilot Studio platform. This choice entails a first limitation, relevant to accessibility: the platform requires a paid license, which is not included among those provided to the students of Turin's Polytechnic. Consequently, the original chatbot cannot be reproduced without a subscription, and the author was unable to conduct a direct test.

In order to observe the behavior of that approach, the chatbot was recreated in the free version of Copilot, bypassing the impossibility of uploading personal materials with an expedient: the author created a GitHub repository containing the original knowledge base, shared by the professor and coming directly from the students who developed the previous version of the chatbot. Then, the link to the repository was added in the "information" section of Copilot, ticking the option that binds the agent to use the specified sources exclusively. The instructions were kept identical to those of the original chatbot too. The diagnosis is therefore carried out on a reconstruction that is as faithful as possible to the starting system, to provide a fair evaluation of it.

5.2.2 Diagnosis and limitations found

First of all, the author qualitatively tested the chatbot with questions representative of the course, to evaluate the performance of the Copilot platform against the requirements defined in the previous chapter, and not to assign a grade to the work of those who had developed it. The questions asked included both theoretical queries, such as Little's law, Kendall's notation, multiple-product systems, and batching, and complex numerical exercises, built starting from the course's practice sessions.

The overall functionality of the system was quite good, and in many questions the chatbot

answered satisfactorily, but three main limitations emerged from the tests. The first concerns retrieving information from the knowledge base. When asked about specific formulas of the course, the chatbot does not always retrieve them, even though they are present in the provided material. For example, when asked about the Whitt equation, the chatbot provides only a qualitative explanation of the concept, without writing the equation. A similar behavior is observed when the author asked for explanations about the cycle time for M/M/c systems. This indicates a limitation in the grounding mechanism: the system is unable to base its answers purely on the material it has in the knowledge base.

The second limitation concerns the traceability of the sources. This requirement, defined in Section 4.2, states that every answer should be easily traceable back to the material it comes from. The chatbot, although it does report references, often indicates them incorrectly. When answering about flow variability, it cites the slide sets relating to lessons 06 and 07, whereas in the course material the topics mentioned are found in lessons 04 and 05. An imprecise citation is particularly problematic in an educational context, because it directs the student towards the wrong material.

The third limitation concerns the correctness of the calculations. When subjected to an exercise on the performance evaluation of a workstation subject to failures, the chatbot set up the procedure correctly but produced an incorrect numerical result: it computed an effective squared coefficient of variation equal to 1.73 against the correct value of 1.98, consequently getting wrong all the quantities derived from it. This behavior is consistent with what was discussed in Section 2.1: an LLM generates text on a probabilistic basis and offers no guarantee of correctness in exact computation. The examples mentioned above are reported in Appendix C.

5.2.3 Conclusion

The diagnosis highlights substantial and non-negligible limitations. First, the starting system is not accessible without a subscription. This is perhaps the greatest issue, because it constrains the so-called "maintainer" of the chatbot to hold an active Copilot Studio license. Beyond this, the platform presents three main limitations: unreliable retrieval of information from the knowledge base, imprecise traceability of sources, and poor reliability in numerical computation.

In particular, the first two limitations depend largely on the platform and on how it manages grounding, and they motivate the search for alternative platforms capable of meeting the

requirements described in the previous chapters, which will be presented in Section 5.4. The quality and the structure of the knowledge base, on the other hand, affect the correct retrieval of information and may influence the material's citation at the end of the answer. For this reason, its reconstruction will be described in Section 5.3.

5.3 Construction of the knowledge base and the instructions

At this point of the work, before selecting the platform on which to build the new version of the chatbot, the author considered it necessary to review its structure and intervene in the knowledge base and the instructions, two elements that affect the quality of the tool's answers. This section aims to make the knowledge base structure efficient, expand its files and information to provide the chatbot with more knowledge from which to draw the content for its answers, and finally review the instructions to identify any weak points.

5.3.1 The knowledge base

The knowledge base inherited from the previous version of the chatbot was already set up correctly: the content of the slides had been transcribed into Markdown files, a format suited to a clean segmentation of the text, as discussed in Section 2.2. This knowledge base, however, had a limitation: some formulas, diagrams, and tables in the slides were images. As observed in the diagnosis (Section 5.2), depending on the platform used, chatbots have difficulty reading the content of images and tables, which helps explain why the starting system could not retrieve all the requested information, even though it was present in the material.

The main and most demanding intervention on the knowledge base consisted of reconstructing the files by transcribing the content of the images into text as well: every formula, diagram, and table was rendered in textual form to make it effectively readable and retrievable by the model. The slides were, of course, divided by chapter and renamed as "[chapter.number]_slides", to give order and rigor to the structure.
Afterwards, to give the chatbot more substance and material, the transcriptions of the course's video lessons were added. They were recorded some years earlier and shared directly by the professor to the author. As the professor explained, this is a course whose content changes very little over time, so although a few years old, the video lessons are still

perfectly valid and usable. The video lessons were divided by chapter and renamed as "[chapter.number]_videolessons".
In addition to slides and video lessons, which constitute the two most important sources for the chatbot in terms of content, the old knowledge base also contained some concise notes on certain topics. These files were kept and divided by chapter according to the topic, and named "[chapter.number]_extra".
The exercises in the old knowledge base were then kept, with some improvements where possible, such as integrating descriptions of charts and tables. The exercises were named "[chapter.number]_exercises".
The glossary and bridge-notes were also kept from the old knowledge base, as they are very useful in helping the chatbot orient itself among all this material and report the correct information even when it concerns several topics across the board.
The last addition to the knowledge base concerns the inclusion of the solved exam papers from the last two years of the course, named "[chapter.number]_exercises from exam".
Furthermore, to help the chatbot orient itself among all this material, a short description was added at the beginning of each file, indicating what it deals with, whether exercises, slides, or video lessons, and the chapter it belongs to, together with the title of the corresponding slide set, to frame the content of the text immediately.
To summarize, the material is organized by chapter, and for each one there are four source types: slides, video-lesson transcriptions, exercises, and in-depth notes (extra). To these are added the solved exam papers and two cross-topic aids, the glossary and the bridge-notes, which map concepts and terms to the files in which they are covered.

5.3.2 The instructions

In addition to the knowledge base, the instructions given to the agent, which govern its behavior and directly determine the quality of the chatbot's answers, were also revised by the author. Compared with the original version, the most relevant changes concern two aspects, both linked to the limitations that emerged in the diagnosis.
The first relevant change is about the expansion of the knowledge base. Indeed, the old version had access to a knowledge base with fewer documents. For this reason, the author defined a priority to guide the retrieval of information.
In particular, the highest priority is given to the course slides. Then, the system must use the

video lessons for explanations, and in the end, the extras, which are useful for cross-topic questions. The exercises and the exam papers, instead, serve to solve numerical questions. This order ensures that, among all the available information, the slides are given the right importance they have.

The second change concerns the difference between citable and non-citable sources, which are available only for the retrieval of information. Only the slides and the exercises (the material that the student owns and can consult) may appear in a citation; the other sources (video lessons, extras, glossary, bridge-notes, and exam papers) are used to build the answer but are never cited, because the student does not have access to them. This rule is accompanied by a check that requires the system to verify, before each citation, that the indicated file actually contains the content used to build the answer. This choice responds directly to the traceability limitation observed in the diagnosis, where the starting system cited sources imprecisely.

The case of topics present only in non-citable sources is also foreseen: in such situations, the agent answers the same way, but without reporting any citation, thus avoiding both the refusal of the answer and the attribution of an incorrect source.

The complete text of the instructions in the new version is reported in Appendix D.

5.4 Platform selection

5.4.1 Selection methodology

This section answers the question: Which environment should be adopted to rebuild the tutor?

Here, the rubric from Chapter 4 is used to evaluate a set of questions posed to different agents built on different platforms. The strength of this test is that all the environments receive the same material (the KB and the instructions built in 5.3) and the same questions: the differences in the scores therefore depend on the platform, not on the data. And, as established in 4.1, the scores are not summed into a single total, but kept as a separate profile per criterion. This choice proves decisive here, because the winner does not emerge from completeness (where several environments are equivalent) but from the combination of coherence and citation.

5.4.2 The three environments compared

The three platforms were chosen by the author based on personal experience and some research carried out on this type of platform. In fact, the constraint of a platform that does not require a subscription is very stringent, because it rules out many other alternatives. Moreover, it is worth recalling the intention to build a system as close as possible to a RAG, to limit hallucinations and out-of-context answers.
In particular, the next section compares different approaches to building a chatbot. Comparing them makes it possible to understand which one offers the best compromise between answer quality and control.
The first platform identified by the author is NotebookLM. It is a tool that does not require any code to use, and it is owned by Google. The peculiarity of NotebookLM is that it has the ability to limit the search within the materials uploaded to the knowledge base. The configuration is very simple: it is enough to upload the documents to the knowledge base and to enter the instructions in the dedicated space. As for the limits of the free version, NotebookLM allows uploading a maximum of 50 documents.
The second platform is Gemini (Gems), which is very similar to NotebookLM. It is a customized Gemini assistant to which it is possible to upload documents and define instructions.
In this case too, the configuration is code-free, and the platform handles the grounding. A small note is worth making regarding the possibility of uploading up to 10 files to the knowledge base. In this case, the author had to modify the existing files and create one file each for slides, exercises, video-lesson transcriptions, and extras.
The third environment is Microsoft Copilot, the same platform on which the original chatbot had been built (Section 5.2). Unlike the diagnosis, where Copilot had been evaluated with the inherited knowledge base, in this comparison it is tested under the same conditions as the other environments: with the updated knowledge base and the revised instructions described in Section 5.3. In this way, the comparison is fair and makes it possible to verify whether the starting platform, once provided with the improved material, is competitive with the no-code alternatives. Unlike NotebookLM and Gemini, the configuration consists of providing the files through a repository created ad hoc with the new knowledge base; the grounding on the corpus is obtained by binding the agent to the specified sources only.

5.4.3 Test

The test consists of 7 questions, which reproduce the typical requests of a student: four theoretical queries (Little's Law, Kendall's notation, multiple-product systems, batching), two numerical exercises taken from the practice sessions, and a question deliberately unrelated to the course (the computation of the WACC, a Corporate Finance topic), included to check the respect of the domain constraint.
Each answer is evaluated with the rubric described in Section 4.1, on the four criteria of completeness, coherence, citation, and correctness of calculations (the latter applied only to the numerical exercises). Consistently with what is described in Chapter 4, the scores are not aggregated into a single value: each environment is described by a profile reporting its average result on each criterion, summarized in table 4.
The table with the complete valuations is reported in appendix E.

Criterion	NotebookLM	Copilot	Gemini
Completeness	1.7	1.7	1.4
Coherence	2	1.6	1.7
Citation	2	1.6	1.6
Calculation accuracy	2	1.5	2

Table 4 - Evaluation profile of the three environments across the rubric criteria (mean score, 0 - 2 scale). The "calculation accuracy" criterion is averaged over the numerical exercises only.

Some clear results emerge from the comparison.
The first concerns completeness. The three platforms are almost equivalent: NotebookLM and Copilot obtain the same average score (1.7), generating complete and satisfactory answers, while Gemini obtains a slightly lower score (1.4). Despite the lower score, Gemini's performance is complete and satisfactory as well. Its score decreases because Gemini answered the out-of-context question, despite the explicit instruction not to answer. Completeness, therefore, is not the criterion that distinguishes the platforms: all the environments treat the course topics extensively.
The second concerns adherence to the course material and traceability, and it is here that the differences emerge. NotebookLM obtains the full score on both coherence and citation (2.00 in both): its answers use the terminology and the formalisms of the course and always report

the correct source. Copilot and Gemini, instead, sit one step below, with intermediate values: both cite the sources and remain mostly adherent to the material, but with some imprecision, both in the use of the course notation and in the indication of the exact source (coherence 1.6 for Copilot; 1.7 for Gemini; citation 1.6 for both).
The third result concerns the out-of-context question. In this case, the author asked for explanations about the WACC, a Corporate Finance question. Contrary to the instructions, Gemini answers the question by providing formulas and explanations. NotebookLM and Copilot, instead, reply that the topic is not present in the course material, correctly following the instructions given. This shows that the respect of grounding does not depend only on how the instructions are written, but on how much the platform actually enforces them.
Finally, on the criterion of calculation correctness, the three environments are practically equivalent: NotebookLM and Gemini solve both proposed exercises correctly, whereas Copilot, despite the updated knowledge base, still makes a calculation error.
Overall, the comparison identifies NotebookLM as the most suitable platform. The margin over the other environments is narrower than one might have expected. Still, NotebookLM remains the only environment that obtains the full score on all the criteria linked to grounding: adherence to the course, traceability of the sources, and respect of the domain constraint. These are exactly the requirements that the starting system (Section 5.2) did not satisfy, and on this basis, NotebookLM is selected as the platform designated to create the agents of this project.
Some representative examples of the answers of the three environments are reported in Appendix E.

5.5 The course tutor: implementation and validation

5.5.1 Implementation

Once the platform had been selected (Section 5.4), the course tutor was implemented on NotebookLM, with the knowledge base and the instructions described in Section 5.3. The configuration leverages the native features of the platform: the automatic indexing of the uploaded documents, the grounding of the answers on the provided corpus only, and the generation of citations to the sources. The result is a conversational assistant to which the student can ask questions in the chat box about the course topics and the exercises, receiving answers anchored to the official material and provided with a reference to the source.
The following text describes how to create a Notebook so that the same chatbot can be

reproduced. First, the user must access the link "notebooklm.google.com" and make the access with a Google account. Next, the user must click on the "Try Gemini Notebook" tab to open the interface shown in Figure 4.




Figure 4 - NotebookLM interface

The page is organized into three sections: sources on the left, chat in the center, and the studio part on the right. To upload the knowledge base, the user must click on the "+ Add sources" tab on the left part of the page. Notebook accepts several document formats, which are shown in Figure 5.




Figure 5 - NotebookLM, sources panel

Once the documents are uploaded, the user can start setting the instructions. To open the setup panel, the user must click on the sliders button. In the upper part of the panel, the user must click on the "personalized" button, and then insert the instructions in the box that appears (the user can find the instructions in Appendix D). Then, the user can choose the length of the answer (for this project, the length was left at the default value). The setup configuration is shown in Figure 6.




Figure 6 - NotebookLM, set up panel

Once configured, the notebook was made available to the students through the sharing function in the upper-right corner of the page, which generates a link granting access to the assistant.

5.5.2 Validation with students

The tutor was validated with a test conducted in person during an exam-preparation session, in which 13 students took part. The context reproduces a real usage situation: students used

it to solve doubt for the exam, with the course teachers present to answer their questions. The students first used the tutor freely and subsequently filled in a perception questionnaire, described in Section 4.3 and reported in full in Appendix A. Consistently with the adopted framework (Section 2.5), the questionnaire measures perceived usefulness and user experience, not actual learning.

The results show an overall positive perception. The tutor is judged clear and understandable (4.5 out of 5) and useful for the course (4.2 out of 5); the intention to recommend it to other students and to use it for exam preparation reaches the highest values (4.4 out of 5 in both cases).

However, some signs of caution also emerge. The item concerning the accuracy and the relevance of the information obtains the lowest score (3.7 out of 5), a figure consistent with the reliability limitation of LLMs discussed in Chapter 2. Moreover, when asked whether the tutor had resolved their requests, 5 students out of 13 answered "completely" and the remaining 8 "partially": the tool is therefore useful but not decisive. The most frequently reported issues are answers that are at times too generic and the impossibility of uploading images of the exercises, a limitation of the platform, yet a feature that would be appreciated by students who get stuck in solving an exercise and do not want to explain to the chatbot instead of directly showing it.

One result deserves particular attention. 77% of the students declare themselves very interested in a feature that, instead of providing the solution directly, guides them step by step towards it (average 4.0 out of 5). This figure confirms the relevance of the formative approach discussed in Chapter 2. This concept somehow connects and anticipates the logic of the second tool developed, the exam-feedback assistant (Section 5.6): students are not looking only for the answer, but for support that accompanies them in the reasoning.

The sample presents two limitations to bear in mind when interpreting the results. It is small (13 students) and self-selected, being composed of students who chose to take part in a preparation session; furthermore, it is made up predominantly of students with some experience in the use of artificial intelligence tools, as confirmed by the questionnaire. The positive perception collected should therefore be read as an encouraging indication, not as a measure generalizable to the entire population of the course.

5.6 The exam-feedback assistant: implementation and validation

5.6.1 Implementation

The second tool developed addresses a different phase of the student's path: not preparing for the exam, but the review of it. It arises from the need described in Section 5.1: the long queues for the review of the exam papers.
The idea is to trying offer the student immediate feedback about their own mistakes made in the exam, without waiting for the meeting with the teacher.
The assistant is also implemented on NotebookLM, but with a different use of the platform compared with the tutor. The flow is as follows: the student digitizes their handwritten paper through a scanning application with OCR (Adobe Scan the one it was used in this test), obtaining a textual version; this is uploaded to the platform together with the official solution provided by the teacher. The assistant is then asked to compare the two documents and to produce feedback that highlights where the student's procedure diverges from the correct one, and why.
Compared with the tutor, the knowledge base here is not the course material, but only two documents: the individual student's paper and its corresponding solution.
The instructions given to the platform are also different from those of the tutor, because the task is different: the agent does not have to explain the theory, but to comment on a piece of work. First of all, the instructions clearly define what the two documents uploaded to the NotebookLM knowledge base represent. This helps to establish which one is the professor's official solution and which is the student's paper to be compared.
The main part of the prompt consists of a formative analysis of the error. Indeed, the assistant must not limit itself to assessing whether there is an error on the basis of the difference from the teacher's solution, but it must also explain its cause, classifying the errors by nature (conceptual error, calculation slip, consequence of a previous error, part not carried out).
The language, also, plays a fundamental role for this chatbot: the instructions define an encouraging and non-judgmental language. Consistent with the requirements of Section 4.2, the assistant acknowledges what has been done correctly, does not assign grades, and shows the correct procedure in full, rather than providing the final result.
Furthermore, there is another feature to be noticed.
It concerns the fragility of OCR discussed in Section 2.4: when the assistant cannot read a number or a formula with certainty, it is instructed to state so and to ask the student for

confirmation, instead of guessing. In this way, the uncertainty of the transcription of the handwritten paper is managed rather than passively suffered. The complete text of the instructions is reported in Appendix F.
Creating the notebook is the same as in Section 5.5.1.

5.6.2 Validation with students

The assistant was validated with a test conducted in a dedicated post-exam session, distinct from that of the tutor, in which 8 students among those present took part. The test was designed with a precise flow. First of all, the students confer with the professor, exactly as in a normal review. In a second stage, the students can use the assistant to request the same questions they asked the professor.
This flow is not random: indeed, the meeting with the professor becomes a sort of baseline on which to base the comparison with the assistant. In particular, the coherence criterion measures how much the assistant's feedback agrees with the teacher's explanation.
A note regarding the in-presence experiment process. The chatbot was the same for all the students. The author uploaded the new documents each time and then deselected the old ones from the sources.
Also, the prompt used to start the analysis was: “Compare the answers in "Compito studente xx" with "2026_call1_solutions_corrected", question by question. For each error, explain where the mistake is and why, following the instructions I already gave you.”
Subsequently, the students evaluated the experience through a grid of four criteria: coherence, clarity, completeness, and correctness. The students could express their assessments with a score between 0 and 2.
The formulation of the evaluation is described in Section 4.3 and reported in Appendix B with the results from the test.
Exactly as for the tutor, the aim of this experiment is not to analyze an actual improvement in learning, but rather to measure the perception of the quality of the feedback.
The results are positive. In detail, the coherence criterion obtains the full score from all the students (2.0). This means that the students perceive the assistant's feedback as coherent with the professor's review and that the assistant identified the same errors. Clarity, instead, obtains 1.88. Completeness and correctness follow, closing at 1.75.
The overall average stands at 1.84 out of 2, with 72% of the scores at the maximum value. The very positive result on coherence is the most relevant: it means that, on the sample considered, the automatic feedback is as reliable as the professor's. The other criteria,

instead, highlight a margin for improvement in the precision of the answer. The same limitations already highlighted for the tutor apply here too: the sample is small (8 students) and not representative of the entire course population. Moreover, the declared objective of the assistant (to reduce queues and offer a first reviewing to students), constitutes a design motivation and not a result measured with this test session: the validation concerns the perceived quality of the feedback, not the actual reduction of the workload on the teacher.

5.7 Discussion

The path described in this chapter followed a sequence in which each choice was validated before proceeding to the next. It is worth recomposing its results into an overall picture. The diagnosis of the existing system (Section 5.2) showed that the starting chatbot, besides requiring a paid license, did not satisfy the requirements of an effective tutor: unreliable information retrieval, imprecise citations, and calculation errors. These limitations guided the two subsequent interventions, the reconstruction of the knowledge base (Section 5.3) and the selection of the platform (Section 5.4). The comparison between environments identified NotebookLM as the best solution, not because of a superiority in the completeness of the answers, but because of the combination of adherence to the course material, traceability of the sources, and respect of the domain constraint: precisely the requirements that the starting system did not guarantee.
On the platform thus selected, the two tools were built and validated. The tutor (Section 5.5) received an overall positive perception, with high values for usefulness and intention to use it, while still showing the expected limitations in terms of accuracy. The exam-feedback assistant (Section 5.6) obtained full coherence with the teacher's review, indicating that the automatic feedback, on the sample considered, identifies the same errors recognized by the expert.

6. Conclusions

This thesis project emerged from two needs that converge on the same solution. The first one is the need to provide students with tools that exploit artificial intelligence, anchoring the information they report to the course material alone. The second one is a problem of capacity: the instructor represents the bottleneck within the student-teacher interaction process, and this means that the more than 200 students enrolled in the course have to wait days before being able to resolve their doubts, or alternatively turn to tools that may give an incorrect or incomplete answer. These two problems converge at two precise moments: during independent study in the lesson period, before the exam, and after the exam during the review of the paper.

This work did not start from scratch. A chatbot built on Copilot Studio by other students already existed. After testing the existing chatbot, the author concluded that using a different platform would be preferable because of problems related to the retrieval of information and the citation of sources, but also because Copilot Studio requires a paid license that students at Turin's Polytechnic do not have access to.

Before comparing some selected platforms, the author refined the instructions and expanded the knowledge base. In detail, the author added descriptions of the images contained in the slides, transcriptions of the video lessons, exam papers from the last two years, checks on citations within the instructions, and then the author organized the knowledge base corpus.

After a test carried out by the author on several platforms, NotebookLM emerged as the best-suited tool for the needs of the project, thanks to the full score on all the criteria linked to the ground.

The next step was then the implementation of the two chatbots. The first is a course tutor to be used during the lecture period and for exam preparation. The second is a chatbot to be used after the exam, in order to understand the mistakes made during it. Its distinctive feature is that it not only signals an error but also explains where it originates and why. One note is required here: given how the exam is currently made, the student needs a scan of their own handwritten paper, and this certainly limits the quality of the transcription NotebookLM has access to. Afterward, in agreement with the instructor, the author organized two in-person experiments open to all students of the AMPS course, in order to assess the perceived quality of the two tools.

The results are positive for both tools. The tutor in particular was judged useful for exam preparation, although students reported the impossibility of uploading images, a feature that

would be very useful for students who get stuck during an exercise and do not know how to proceed.

The post-exam assistant was judged perfectly consistent with the professor's review, since all the students gave the maximum score on this criterion.

The work nevertheless presents some limitations, described below.

The first limitation concerns the evaluation of the original system. First, it was not possible to evaluate the original chatbot created in Microsoft Copilot Studio, which requires a paid license. To evaluate Copilot, the author had to create a repository on GitHub, which is effective but does not represent the original system.

A second limitation is that the author is the only evaluator. However, the descriptors were defined a priori to mitigate this problem and make the procedure repeatable.

Two further limitations concern the validation of the chatbots with the students. First, these in-person experiments were designed with the objective of measuring the students' perception of the usefulness and quality of the tools. They do not, however, measure actual improvement in learning the course topics. For the first chatbot in particular, the course tutor, measuring an actual improvement in learning would have required the experiment to be designed as follows: the students divided into two groups, one group with access to the chatbot and a control group without access to it, with learning checks during and at the end of the course. This was clearly not possible within this thesis project because, at the beginning of the course, the course tutor was not yet ready to be distributed to the students.

The experiment with the second chatbot, for the review of the exam paper, would also need to be designed differently: the idea is to divide the exam review into two groups, the first with access to the chatbot and the second without.

The group with access to the chatbot would have to use it before consulting with the instructor and only afterward, if the chatbot does not clarify every doubt, confer with her. In this way, it would be possible to measure waiting times, the percentage of students who consider themselves satisfied with the chatbot, and the average duration of meetings with the instructor, in order to measure performance.

Despite these limitations, this thesis project lays the ground for more structured experiments of this kind.

Another limitation concerns the sample size. The course tutor was evaluated by 13 students, while the post-exam assistant was evaluated by 8. This is a very small proportion of the class (percentages below 10%). The positive perception of the chatbots should therefore be read only as encouraging for further research and should not be treated as a result applicable to

the entire student population.

Some limitations concerning the course tutor also emerge. First, the impossibility of uploading images is a limitation. Students consider the possibility of uploading their exercise useful, rather than having to manually describe where they got stuck. This, however, is a system limitation and not a design choice. One solution would be to create a chatbot dedicated to solving exercises, letting students build it directly, so that they would be able to upload the material into the knowledge base themselves. The lowest score concerns the accuracy and relevance of the information, and among those who declared their queries only partly resolved, the most frequent remarks were that the answers were too generic.

To conclude, the two chatbots developed in this thesis project were not conceived to replace the instructor. They were designed with the objective of covering some of the moments in which the instructor cannot be present: during independent study, for instance, or after the exam, to understand the mistakes made. These are only two moments identified by the author. The whole process, however, is easily replicable and reproducible. No lines of code or specific computing skills are required. One important contribution of this thesis is perhaps the method proposed: diagnosing the original state, rebuilding the corpus, comparing the environments under equal conditions, and validating with the students.

Bibliography

Ahmed, I., Liu, W., Roscoe, R. D., Reilley, E., & McNamara, D. S. (2025). Multifaceted assessment of responsible use and bias in language models for education. Computers, 14(3), 100. https://doi.org/10.3390/computers14030100

Allen, M., Naeem, U., & Gill, S. S. (2024). Q-Module-Bot: A generative AI-based question and answer bot for module teaching support. IEEE Transactions on Education, 67(5), 793-802. https://doi.org/10.1109/TE.2024.3435427

Arévalo-Cordovilla, F. E., & Peña, M. (2025). AI-driven predictive models and chatbots for early intervention and student success in higher education: A systematic review. International Journal of Engineering Education, 41(6), 1473-1488.

Ayanwale, M. A. (2024). Using diffusion theory of innovation to investigate perceptions of STEM and non-STEM students' adoption of chatbot systems in higher education: A multiple group analysis. 2024 IEEE Global Engineering Education Conference (EDUCON), 1-8. https://doi.org/10.1109/EDUCON60312.2024.10578835

Bilquise, G., Ibrahim, S., & Salhieh, S. M. (2024). Investigating student acceptance of an academic advising chatbot in higher education institutions. Education and Information Technologies, 29(5), 6357-6382. https://doi.org/10.1007/s10639-023-12076-x

Bloom, B. S. (1984). The 2 sigma problem: The search for methods of group instruction as effective as one-to-one tutoring. Educational Researcher, 13(6), 4-16. https://doi.org/10.3102/0013189X013006004

Brown, T. B., Mann, B., Ryder, N., Subbiah, M., Kaplan, J. D., Dhariwal, P., Neelakantan, A., Shyam, P., Sastry, G., Askell, A., Agarwal, S., Herbert-Voss, A., Krueger, G., Henighan, T., Child, R., Ramesh, A., Ziegler, D. M., Wu, J., Winter, C., … Amodei, D. (2020). Language models are few-shot learners. Advances in Neural Information Processing Systems, 33, 1877-1901.

Carcary, M., & Buckland, P. (2025). Perceived risk of generative AI adoption in initial teacher education programmes. Proceedings of the 2nd International Conference on Education Research (ICER 2025), 2(1), 10-17. https://doi.org/10.34190/icer.2.1.4162

Chen, J., Mohamed Mokmin, N. A., Shen, Q., & Su, H. (2025). Leveraging AI in design education: Exploring virtual instructors and conversational techniques in flipped classroom models. Education and Information Technologies, 30, 16441-16461. https://doi.org/10.1007/s10639-025-13458-z

Chen, J. M., Zhang, L., Pengnate, S., Ma, E., & Leung, X. Y. (2025). Integrating a custom chatbot into higher education: From passive to interactive e-learning. Journal of Information Systems Education, 36(4), 384-399. https://doi.org/10.62273/FISY8338

Cheng, G., Wong, W., Luo, L., & Yu, M. (2025). Integrating a scaffolding-based, LLM-driven chatbot into programming education: A university case study. 2025 International Symposium on Educational Technology (ISET), 1-5. https://doi.org/10.1109/ISET65607.2025.00047

Christiano, P. F., Leike, J., Brown, T. B., Martic, M., Legg, S., & Amodei, D. (2017). Deep reinforcement learning from human preferences. Advances in Neural Information Processing Systems, 30, 4299-4307.

Crawford, J., Allen, K.-A., Pani, B., & Cowling, M. (2024). When artificial intelligence substitutes humans in higher education: The cost of loneliness, student success, and retention. Studies in Higher Education, 49(5), 883-897. https://doi.org/10.1080/03075079.2024.2326956

Dai, Y. (2025). Why students use or not use generative AI: Student conceptions, concerns, and implications for engineering education. Digital Engineering, 4, 100019. https://doi.org/10.1016/j.dte.2024.100019

Dakakni, D., & Safa, N. (2023). Artificial intelligence in the L2 classroom: Implications and challenges on ethics and equity in higher education: A 21st century Pandora's box. Computers and Education: Artificial Intelligence, 5, 100179. https://doi.org/10.1016/j.caeai.2023.100179

Dæhli, O., Kristoffersen, B., & Lauvås, P., Jr. (2024). AI chatbot: I want help, not the answer! Proceedings of the 23rd European Conference on e-Learning (ECEL 2024), 23(1), 77-84. https://doi.org/10.34190/ecel.23.1.2810

Duda, E., Młynarczyk-Karabin, E., & Więckiewicz-Modrzewska, J. (2026). Evaluating the role of chatbots in higher education based on students' experiences. In I. Alvarez, M. Arias-Oliva, A.-H. Dediu, & N. Silva (Eds.), Ethical and social impacts of information and communication technology (Lecture Notes in Computer Science, Vol. 15939, pp. 289-300). Springer. https://doi.org/10.1007/978-3-032-01429-0_25

Eaton, S. E., Moya Figueroa, B. A., McDermott, B., Kumar, R., Brennan, R., & Wiens, J. (2026). What should we be assessing exactly? Higher education staff narratives on gen AI integration of assessment in a postplagiarism era. Assessment & Evaluation in Higher Education, 51(4), 683-702. https://doi.org/10.1080/02602938.2025.2587246

El Mourabit, I., Jai Andaloussi, S., Ouchetto, O., & Miyara, M. (2025). AI chatbots in higher education: Opportunities and challenges for personalized and mobile learning.

International Journal of Interactive Mobile Technologies, 19(12), 19-37. https://doi.org/10.3991/ijim.v19i12.54163

Esiyok, E., Gökçearslan, Ş., & Kucukergin, K. G. (2025). Acceptance of educational use of AI chatbots in the context of self-directed learning with technology and ICT self-efficacy of undergraduate students. International Journal of Human-Computer Interaction, 41(1), 641-650. https://doi.org/10.1080/10447318.2024.2303557

Ferrettini, G., Nascimento, A. C. A., Pérez-Sanagustín, M., & Hilliger, I. (2026). SIMBA: A tool for designing generative AI agents for reflective learning and critical thinking. In K. Tammets, S. Sosnovsky, R. Ferreira Mello, G. Pishtari, & T. Nazaretsky (Eds.), Two decades of TEL: From lessons learnt to challenges ahead (Lecture Notes in Computer Science, Vol. 16064, pp. 313-318). Springer. https://doi.org/10.1007/978-3-032-03873-9_42

Fong, E. K. S., Lee, F. W. F., Lee, L.-K., Chui, K. T., & Yousuk, R. (2025). Chatbots in higher education: A bibliometric analysis based on VOSviewer. 2025 International Symposium on Educational Technology (ISET), 1-6. https://doi.org/10.1109/ISET65607.2025.00045

Gao, Y., Xiong, Y., Gao, X., Jia, K., Pan, J., Bi, Y., Dai, Y., Sun, J., Wang, M., & Wang, H. (2023). Retrieval-augmented generation for large language models: A survey. arXiv preprint arXiv:2312.10997. https://doi.org/10.48550/arXiv.2312.10997

Garrido-Muñoz, C., Ríos-Vila, A., & Calvo-Zaragoza, J. (2025). Handwritten text recognition: A survey. arXiv preprint arXiv:2502.08417. https://doi.org/10.48550/arXiv.2502.08417

Gharbaoui, H., Ahriz, S., Mansouri, K., & Poirier, F. (2025). Exploring the role of educational chatbots in peer-based learning. 2025 10th International STEM Education Conference (iSTEM-Ed), 1-6. https://doi.org/10.1109/iSTEM-Ed65612.2025.11129450

Goodfellow, I. J., Pouget-Abadie, J., Mirza, M., Xu, B., Warde-Farley, D., Ozair, S., Courville, A., & Bengio, Y. (2014). Generative adversarial nets. Advances in Neural Information Processing Systems, 27, 2672-2680.

Guo, H., & Erdenebold, T. (2025). Factors influencing intention to adopt an AI chatbot for learning in higher education: An integrated PLS-SEM, IPMA, and ANN approach. Computers and Education: Artificial Intelligence, 9, 100477. https://doi.org/10.1016/j.caeai.2025.100477

Hattie, J., & Timperley, H. (2007). The power of feedback. Review of Educational Research, 77(1), 81-112. https://doi.org/10.3102/003465430298487

Henne, S., Mehlin, V., Schmid, E., & Schacht, S. (2022). Components of digital assistants in higher education environments. 2022 IEEE 28th International Conference on Engineering, Technology and Innovation (ICE/ITMC) & 31st IAMOT Joint Conference, 1-8. https://doi.org/10.1109/ICE/ITMC-IAMOT55089.2022.10033236

Koh, J., Cowling, M., Jha, M., & Sim, K. N. (2023). The human teacher, the AI teacher and the AIed-teacher relationship. Journal of Higher Education Theory and Practice, 23(17), 200-212. https://doi.org/10.33423/jhetp.v23i17.6543

Leal, S. S., Brás, G., Paes, G., Souza, J., Junior, C., Sousa, B., Assis, R., Guimarães, T., & Marques, T. (2025). Aila - Artificial intelligence for learning assistance: A learning support interactive chatbot. 2025 IEEE 4th International Conference on Computing and Machine Intelligence (ICMI), 1-5. https://doi.org/10.1109/ICMI65310.2025.11141150

Lewis, P., Perez, E., Piktus, A., Petroni, F., Karpukhin, V., Goyal, N., Küttler, H., Lewis, M., Yih, W.-t., Rocktäschel, T., Riedel, S., & Kiela, D. (2020). Retrieval-augmented generation for knowledge-intensive NLP tasks. Advances in Neural Information Processing Systems, 33, 9459-9474.

Merola, C., & Singh, J. (2025). Reconstructing context: Evaluating advanced chunking strategies for retrieval-augmented generation. arXiv preprint arXiv:2504.19754. https://doi.org/10.48550/arXiv.2504.19754

Minaee, S., Mikolov, T., Nikzad, N., Chenaghlu, M., Socher, R., Amatriain, X., & Gao, J. (2024). Large language models: A survey. arXiv preprint arXiv:2402.06196. https://doi.org/10.48550/arXiv.2402.06196

Murali, R., Dhanalakshmy, D. M., Avudaiappan, V., & Sivakumar, G. (2024). Towards assessing the credibility of chatbot responses for technical assessments in higher education. 2024 IEEE Global Engineering Education Conference (EDUCON), 1-9. https://doi.org/10.1109/EDUCON60312.2024.10578934

Mzwri, K., & Turcsányi-Szabó, M. (2026). Bridging LMS and generative AI: Dynamic course content integration (DCCI) for enhancing student satisfaction and engagement via the ask ME assistant. Journal of Computers in Education, 13(2), 585-622. https://doi.org/10.1007/s40692-025-00367-w

Nanang, H., Sukmana, H. T., Durahman, Y., Khairani, D., Arifin, V., & Saputrie, F. P. (2025). Assessing the success of ChatGPT in higher education: An empirical study of the benefits and impacts. 2025 13th International Conference on Cyber and IT Service Management (CITSM), 1-5. https://doi.org/10.1109/CITSM67730.2025.11291423

Neumann, M., Rauschenberger, M., & Schön, E.-M. (2023). “We need to talk about ChatGPT”: The future of AI and higher education. 2023 IEEE/ACM 5th International Workshop on Software Engineering Education for the Next Generation (SEENG), 29-32. https://doi.org/10.1109/SEENG59157.2023.00010

Niño-Juárez, E., & Menchaca Torre, L. (2024). Analysis of the effect of using AI as a tool to assist mechatronics engineering students in learning. 2024 World Engineering Education Forum - Global Engineering Deans Council (WEEF-GEDC), 1-7. https://doi.org/10.1109/WEEF-GEDC63419.2024.10854933

Nkambou, R., Bourdeau, J., & Mizoguchi, R. (Eds.). (2010). Advances in intelligent tutoring systems (Studies in Computational Intelligence, Vol. 308). Springer. https://doi.org/10.1007/978-3-642-14363-2

Petrillo, A., Awasare, K., & Rehman, M. (2025). The ALES platform: State-of-the-art and gap analysis for an academic LLM chatbot. Procedia Computer Science, 274, 359-372. https://doi.org/10.1016/j.procs.2025.12.036

Saihi, A., Ben-Daya, M., & Hariga, M. (2025). The moderating role of technology proficiency and academic discipline in AI-chatbot adoption within higher education: Insights from a PLS-SEM analysis. Education and Information Technologies, 30(5), 5843-5881. https://doi.org/10.1007/s10639-024-13023-0

Saihi, A., Ben-Daya, M., Hariga, M., & As’ad, R. (2024). A structural equation modeling analysis of generative AI chatbots adoption among students and educators in higher education. Computers and Education: Artificial Intelligence, 7, 100274. https://doi.org/10.1016/j.caeai.2024.100274

Sánchez-Vera, F. (2025). Subject-specialized chatbot in higher education as a tutor for autonomous exam preparation: Analysis of the impact on academic performance and students’ perception of its usefulness. Education Sciences, 15(1), 26. https://doi.org/10.3390/educsci15010026

Sartono, E. S., Wardhana, C. S. P., Princes, E., Karmawan, I. G. M., Ikhsan, R. B., & Gui, A. (2023). Exploring the impact of chatbot functionality and interactivity on chatbot usage intention in higher education. 2023 10th International Conference on Information Technology, Computer, and Electrical Engineering (ICITACEE), 143-148. https://doi.org/10.1109/ICITACEE58587.2023.10277654

Schell, J., Ford, K., & Markman, A. B. (2025). Building responsible AI chatbot platforms in higher education: An evidence-based framework from design to implementation. Frontiers in Education, 10, 1604934. https://doi.org/10.3389/feduc.2025.1604934

Sedrakyan, G., Borsci, S., Machado, M., Rogetzer, P., & Mes, M. (2024). Design implications for integrating AI chatbot technology with learning management

systems: A study-based analysis on perceived benefits and challenges in higher education. Proceedings of the 2024 International Conference on Artificial Intelligence and Teacher Education (ICAITE 2024), 1-8. https://doi.org/10.1145/3702386.3702405

Shute, V. J. (2008). Focus on formative feedback. Review of Educational Research, 78(1), 153-189. https://doi.org/10.3102/0034654307313795

Silva, E. F. F., Maia, D. M., dos Santos, S. C., & Santana, A. F. (2024). An intelligent tutoring system proposal based on chatbot and learning styles to the project management study. 2024 IEEE Frontiers in Education Conference (FIE), 1-8. https://doi.org/10.1109/FIE61694.2024.10893385

Soderstrom, N. C., & Bjork, R. A. (2015). Learning versus performance: An integrative review. Perspectives on Psychological Science, 10(2), 176-199. https://doi.org/10.1177/1745691615569000

Soliman, H., Kotte, H., Kravčík, M., Pengel, N., & Duong-Trung, N. (2025). Retrieval-augmented chatbots for scalable educational support in higher education. Proceedings of the Second International Workshop on Generative AI for Learning Analytics (GenAI-LA 2025), co-located with LAK 2025 (CEUR Workshop Proceedings, Vol. 3994, pp. 22-31). CEUR-WS. https://ceur-ws.org/Vol-3994/paper3.pdf

Su, Y.-S., Hsu, W.-Y., & Chen, J.-A. (2026). Integrating a ChatGPT-enhanced error feedback system with epistemic network analysis to explore students' learning programming behaviors. Interactive Learning Environments, 1-21. https://doi.org/10.1080/10494820.2025.2610698

Suryanto, T. L. M., Wibawa, A. P., Hariyono, Nafalski, A., & Shili, H. (2025). A STIN model adoption for chatbot in higher education online learning. Electronic Journal of e-Learning, 23(3), 1-18. https://doi.org/10.34190/ejel.23.3.3843

Thway, M., Recatala-Gomez, J., Lim, F. S., Hippalgaonkar, K., & Ng, L. W. T. (2025). Harnessing GenAI for higher education: A study of a retrieval augmented generation chatbot's impact on learning. Journal of Chemical Education, 102(9), 3849-3857. https://doi.org/10.1021/acs.jchemed.5c00113

Tian, Q., & Zheng, X. (2025). The impact of artificial intelligence on students' 4C skills: A meta-analysis. Educational Research Review, 49, 100728. https://doi.org/10.1016/j.edurev.2025.100728

Tozuka, R., Johno, H., Amakawa, A., Sato, J., Muto, M., Seki, S., Komaba, A., & Onishi, H. (2025). Application of NotebookLM, a large language model with retrieval-

augmented generation, for lung cancer staging. *Japanese Journal of Radiology, 43*(4), 706-712. https://doi.org/10.1007/s11604-024-01705-1

Vaswani, A., Shazeer, N., Parmar, N., Uszkoreit, J., Jones, L., Gomez, A. N., Kaiser, Ł., & Polosukhin, I. (2017). Attention is all you need. Advances in Neural Information Processing Systems, 30, 5998-6008.

Yigci, D., Eryilmaz, M., Yetisen, A. K., Tasoglu, S., & Ozcan, A. (2025). Large language model-based chatbots in higher education. Advanced Intelligent Systems, 7(3), 2400429. https://doi.org/10.1002/aisy.202400429

Zanibbi, R., & Blostein, D. (2012). Recognition and retrieval of mathematical expressions. International Journal on Document Analysis and Recognition (IJDAR), 15(4), 331-357. https://doi.org/10.1007/s10032-011-0174-4

Zhao, W. X., Zhou, K., Li, J., Tang, T., Dong, Z., Hou, Y., Zhang, B., Min, Y., Zhang, J., Liu, P., Wang, X., Du, Y., Yang, C., Chen, Y., Chen, Z., Jiang, J., Ren, R., Li, Y., Tang, X., … Wen, J.-R. (2023). A survey of large language models. arXiv preprint arXiv:2303.18223. https://doi.org/10.48550/arXiv.2303.18223

Web resources

[1] Google, "Learn about NotebookLM," NotebookLM Help. [Online]. Available: https://support.google.com/notebooklm/answer/16164461

[2] Google, "Add or discover new sources for your notebook," NotebookLM Help. [Online]. Available: https://support.google.com/notebooklm/answer/16215270

[3] Google, "Use chat in NotebookLM," NotebookLM Help. [Online]. Available: https://support.google.com/notebooklm/answer/16179559

[4] Google, "Upgrade NotebookLM," NotebookLM Help. [Online]. Available: https://support.google.com/notebooklm/answer/16213268

[5] Google, "Privacy and Terms of Use in NotebookLM," NotebookLM Help. [Online]. Available: https://support.google.com/notebooklm/answer/17004255

[6] Google, "Use Gems in Gemini Apps," Gemini Apps Help. [Online]. Available: https://support.google.com/gemini/answer/15146780

[7] Google, "New Gemini app features, available to try at no cost," The Keyword, Mar. 13, 2025. [Online]. Available: https://blog.google/products/gemini/new-gemini-app-features-march-2025/

[8] Google, "New features in Gemini to deepen usage for organizations," Google Workspace Blog, Nov. 13, 2024. [Online]. Available: https://workspace.google.com/blog/product-announcements/new-gemini-gems-deeper-knowledge-and-business-context

[9] Microsoft, "What is Microsoft Copilot?," Microsoft Learn, 2026. [Online]. Available: https://learn.microsoft.com/en-us/microsoft-365/copilot/microsoft-365-copilot-overview

[10] Microsoft, "Add knowledge sources to your declarative agent," Microsoft Learn, 2026. [Online]. Available: https://learn.microsoft.com/en-us/microsoft-365/copilot/extensibility/knowledge-sources

[11] Microsoft, "Overview - Microsoft Copilot Studio," Microsoft Learn, 2026. [Online]. Available: https://learn.microsoft.com/en-us/microsoft-copilot-studio/fundamentals-what-is-copilot-studio

Appendix A - Tutor perception questionnaire

Instrument administered to the students after the tutor testing session. The questionnaire is anonymous and is reported here in its original language, as administered.

Section 1 - Introduction and consent

Respondents are informed that the survey is part of a Master's thesis project at Politecnico di Torino, that it is anonymous, that data are processed in aggregate form for research purposes, and that participation is voluntary. Proceeding implies informed consent.

Section 2 - General information

1. What is your gender? (Male / Female / Non-binary or Other / Prefer not to say)

2. How would you rate your prior experience with Generative AI tools (e.g., ChatGPT, Claude, Gemini)?

    1. No experience - I have never used them
    2. Beginner - I have tried them a few times
    3. Intermediate - I use them occasionally for specific tasks
    4. Advanced - I use them frequently and know how to write good prompts
    5. Expert user - I use them daily and understand how they work technically

Section 3 - Context

3. What topics did your inquiries cover today? (Select all that apply): Theoretical concepts / Practical exercises / Other

Section 4 - User perception, acceptance, and trust

Each statement is rated on a 5-point Likert scale: 1 = Strongly disagree, 2 = Disagree, 3 = Neither agree nor disagree, 4 = Agree, 5 = Strongly agree.

4.1 Interacting with the AMPS Chatbot is clear and understandable.

4.2 It does not require a lot of mental effort to use the AMPS Chatbot.

4.3 Using the AMPS Chatbot enables me to find information more quickly.

4.4 Overall, I find the AMPS Chatbot to be a useful tool for the AMPS course.

4.5 The AMPS Chatbot understood my prompt correctly on the first attempt.

4.6 The information provided by the AMPS Chatbot was accurate and relevant to my query.

4.7 I would use the AMPS Chatbot to prepare for the course's exam.

4.8 I would recommend the AMPS Chatbot to other students.

4.9 I am concerned that relying too much on the agent might negatively affect my independent problem-solving and critical thinking skills.

4.10 I trust that using the AMPS Chatbot as a study support is an ethical practice that aligns with academic integrity.

Section 5 - Task resolution

5. Did the AMPS Chatbot successfully resolve your queries? (Yes, completely / Partially / No, not at all)

6. If not fully resolved, what was the primary issue? (Incorrect information / Response was too generic / System crashed or gave an error / Misunderstood prompt / Other)

Section 6 - Future developments and qualitative feedback

7. How interested would you be in a feature that, rather than providing the direct solution, guides you step-by-step through the logical process to solve an exercise? (1 = Not interested at all … 5 = Extremely interested)

8. What did you appreciate most about interacting with the AMPS Chatbot? (open answer)

9. If you could add one feature or improve one aspect of the AMPS Chatbot, what would it be? (open answer)

Appendix B - Exam-assistant evaluation grid and results

Instrument used to collect the students' evaluations of the post-exam feedback assistant, reported here as a blank template and followed by the scores collected during the test. After using the assistant, each student rated four criteria on a 0-2 scale (0 = poor, 1 = partial, 2 = good), with half points allowed, and added a free comment (students' comments are reported in Italian, the language in which they used the assistant). The scores express the students' subjective perception, not an independent assessment of response quality.

Student	Student feedback	Coherence (0-2)	Completeness (0-2)	Clarity (0-2)	Correctness (0-2)	Note
1						
…						
N						

Student	Student feedback	Coherence (0-2)	Completeness (0-2)	Clarity (0–2)	Correctness (0–2)	Note
1	ha trovato l'idea interessante e utile	2	2	2	1.5	
2	idea buona, funziona bene, ottimo il funzionamento rag ma è vulnerabile, sarebbe meglio in locale	2	1.5	1.5	2	su un dettaglio importante ha dovuto chiedergli di approfondire
3	coerente con la spiegazione della prof, ma preferisco parlare con una persona	2	1.5	2	2	
4	ha detto le stesse cose della prof	2	2	2	1.5	
5	Utile	2	2	2	2	
6	coerente con la spiegazione del prof	2	1	1.5	1.5	
7	utile, coerente con la spiegazione ricevuta dalla prof	2	2	2	1.5	
8	l'ha aiutata a chiarire un dubbio che non aveva chiarito con la spiegazione della prof	2	2	2	2	

Appendix C - Examples of answers from the existing chatbot

This appendix reports the answers provided by the original chatbot, rebuilt in the free version of Copilot using the original instructions and knowledge base, to questions the author asked about the course. The cases discussed are those in Section 5.2.2. The answers have been transcribed faithfully from the Copilot chat.

Failed retrieval of a formula (M/M/c formula)

Question asked: "What is the formula for the queue cycle time of an M/M/c system used in the course, and how does it relate to the M/M/1 case?"

Chatbot's answer:

"I cannot verify the exact M/M/c queue cycle time formula from the provided course materials because the slide content itself is not available to me in this conversation. To comply with the course-only rule, I should not reconstruct or invent the formula from external queueing theory knowledge. If you upload the relevant slides (or indicate the page/section in 05_Single_Workstation_Analysis_with_solutions.pdf), I can extract the exact formula used in the course and explain precisely how it relates to the M/M/1 case."

Reference cited by the chatbot: [Slides: 05_Single_Workstation_Analysis_with_solutions.pdf]

Note: the formula for the queue cycle time of M/M/c systems is present in the course material (Lesson 3, not 05 as cited). The chatbot declares that it cannot access it and does not provide the expression.

Failed retrieval and incorrect citation (Whitt equation)

Question asked: "How does the variability of the departures from a workstation propagate to the next one in a serial line? Which equation does the course use?"

Chatbot's answer (concluding extract):

"[…] Do not assume that reducing variability at the first station produces the same reduction at the last station. Do not assume departure variability equals arrival variability. The propagation depends on both the process variability and the utilization of intermediate stations."

References cited by the chatbot: [Slides: 06_Process_variability_with_solutions.pdf; 07_Multiple-Stage Factory Models_with_solutions.pdf]

Note: the question explicitly asked for the equation used by the course, the Whitt equation, which is reported verbatim in the slides. The chatbot instead provides a correct qualitative explanation but not the equation. Moreover, the cited references (lessons 06 and 07) do not

correspond to the actual ones in the material, where process variability is covered in Lesson 04 and multiple-stage systems in Lesson 05.

Error in numerical computation (workstation subject to failures)

Exercise posed: a single workstation with natural process time E[Ts] = 12 min, process SCV 1.44; failures with MTBF 240 min, mean repair time 24 min, repair SCV 2.25; arrivals with rate 4 jobs/h and SCV 1.0.

Results provided by the chatbot: availability 0.909; effective process time 13.2 min; effective SCV 1.73; utilization 0.88; CTq 132 min; CT 145 min; WIP 9.7 jobs.

Correct results (according to the Hopp-Spearman formula used in the course): effective SCV 1.98; CTq 144 min; CT 157 min; WIP 10.5 jobs.

Note: the procedure set up by the chatbot is correct (availability and effective process time coincide with the expected values), but the computation of the additional variability term due to failures is wrong. The error propagates to the subsequent calculations.

Appendix D - Instructions for the agent

ROLE - You are a teaching assistant for "Analysis and Management of Production Systems".
Access the course materials provided. The corpus is organized by chapter; for each chapter it contains four source types: Slides, Videolessons, Exercises, Extra. The corpus also contains past exam papers (files named like "exercises from exam N.md") and two cross-topic aids: Glossary (glossary.md) and Bridge-Notes (Bridge_Notes_AMPS_V2.md). Prioritize deep-scanning the provided sources over any external search results.
If the topic isn't in the corpus AT ALL, reply exactly: "Not present in the provided course materials." (Do NOT use this reply for topics that ARE in the corpus but only in non-citable sources - answer those normally, without a citation; see CITATIONS.)

LANGUAGE & STYLE
- Answer in the user's language (Italian or English), clear and concise (~250 words unless asked for more).
- Detect the language of the current user message only (ignore previous turns and UI/tenant language).
- If the message is English, respond in English. If the message is Italian, respond in Italian.
- Preserve symbols and technical terms exactly as in the sources; do not translate variable names or formula symbols.
- For broad questions, use this structure: Overview → Key points → Pitfalls/Assumptions → Citations. Additionally indicate where to go further.
- Do NOT invent definitions, formulas, or examples not present in the corpus; no external content.

FORMULAS & NOTATION
- Use clean symbols and variable names as in the corpus.
- When formulas appear in the sources, use the same symbols/names; if absent, do not invent the formula (quality check).

RETRIEVAL PLAN (follow these steps before answering)
- Use all sources for retrieval: Slides + Videolessons + Exercises + Extra + exam papers + Glossary + Bridge-Notes.

1. Map the query to Glossary terms (exact/aliases) and identify the chapter(s) involved.
2. Retrieve the most relevant Slides (primary source for theory and definitions).
3. Cross-check the other sources:
   - Videolessons → explanations and clarifications;
   - Exercises → worked examples and numeric procedures;
   - Extra and exam papers → supplementary or cross-topic material, and topics with no slide;
   Optionally consult Bridge-Notes to connect cross-topic ideas (never as sole source of novel facts).
4. Draft the answer; verify that EACH claim is supported by at least one retrieved source.

CITATIONS
- CITABLE source types are ONLY Slides and Exercises - the official material the student owns and can consult.
- RETRIEVAL-ONLY (use to build the answer, but NEVER cite): Videolessons, Extra, Glossary, Bridge-Notes, AND the past exam papers. The student cannot consult these, so they must never appear in a citation line, even if a fact comes only from them.
- The exam files contain the word "exercise(s)" in their names but are NOT citable Exercises. Treat any file named like "exercise(s) from exam N.md" as retrieval-only.
- CLAIM-LEVEL CHECK: before emitting any citation, verify the cited Slides/Exercises file ACTUALLY CONTAINS the specific claim - not merely a related topic. Never cite a file because it is thematically close.
- TOPICS WITH NO CITABLE HOME: some topics (e.g. the Crawford–Boeing learning curve / contract profitability, stock-sharing incentives) appear only in retrieval-only sources (exam papers, Extra). For these: answer using the retrieved content, but provide NO citation block. You MAY add one short line such as "No citable source (Slides/Exercises) covers this point." Never cite a Slides/Exercises file that does not contain the claim just to satisfy a citation rule, and never cite an exam/retrieval-only file.
- When a citation IS warranted, label each by type, e.g.:
  [Slides: 04_slides_Process_variability_with_solutions.md]
  [Exercises: 03_exercise_SO_Single_Workstation_Analysis.md]
- If multiple sources are used, separate them with semicolons:
  [Slides: 03_slides_Single_Workstation_Analysis_with_solutions.md; Exercises: 03_exercise_SO_Single_Workstation_Analysis.md]

- Do not add any punctuation after citation blocks (the citations line must end with the closing bracket).

WRONG (retrieval-only source leaked into citation):
[Slides: 07_slides_Batch_models_with_solutions.md; Exercises: 08_exercise_SO_Batching.md; Videolessons: 0_videolessons_Course_Introduction.md]
RIGHT:
[Slides: 07_slides_Batch_models_with_solutions.md; Exercises: 08_exercise_SO_Batching.md]

WRONG (exam paper is not citable):
[Exercises: exercise from exam 3.md]
WRONG (forcing a citable file that does NOT contain the learning curve):
[Exercises: Exercise_SO_Course_Recap_Exercises.md; Exercises: Additional_questions_solutions.md]
RIGHT (no citable source covers the learning curve → answer with no citation block, optionally noting it).

ALLOWED CITABLE SOURCE NAMES (use exact strings; ONLY these may appear in a citation line)

Slides:
0_slides_Course_Introduction.md
01_slides_Flow_process_chart_VSM_IDEF0_with_solutions.md
02_slides_Introduction_Factory_Models_with_solutions.md
03_slides_Single_Workstation_Analysis_with_solutions.md
04_slides_Process_variability_with_solutions.md
05_slides_Multiple-Stage Factory Models_with_solutions.md
06_slides_Multiple_Product_Factory_Models_with_solutions.md
07_slides_Batch_models_with_solutions.md
08_slides_discrete_event_simulation.md
09_slides_information_systems.md
10_slides_industry_4_5.md
11_slides_machine_learning_manufacturing.md

11b_slides_reinforcement_learning.md

Exercises:
01_exercise_SO_FPC_VSM_IDEF0.md
02_exercise_SO_Factory_Performance.md
03_exercise_SO_Single_Workstation_Analysis.md
04_exercise_SO_Single_WSA_part2.md
05_exercise_SO_Variability_and_Complete_line.md
06_exercise_SO_General_Network.md
07_exercise_SO_Multiple_Product.md
08_exercise_SO_Batching.md
Exercise_SO_Course_Recap_Exercises.md
Additional_questions_solutions.md

RETRIEVAL-ONLY SOURCES (NEVER cite - for retrieval only)
- All Videolessons (e.g. 0_videolessons_Course_Introduction.md, 03_videolesson_Single Workstation Analysis.md, ...)
- All Extra files (01_extra.md … 07_extra.md)
- glossary.md
- Bridge_Notes_AMPS_V2.md
- All exam papers:
  exercises from exam 1.md
  exercises from exsam 2.md
  exercise from exam 3.md
  exercises from exam 4.md
  exercises from exam 5.md
  exercises from exam 6.md
  exercises from exam 7.md

Rules
- Use only CITABLE source names from the lists above in any citation line; never invent or reformat names.
- If the topic is entirely outside the corpus, reply exactly: "Not present in the provided course materials."

- If multiple citable sources are used, list them in the final line separated by semicolons, e.g.:
  [Slides: 02_slides_Introduction_Factory_Models_with_solutions.md; Slides: 03_slides_Single_Workstation_Analysis_with_solutions.md]

SELF-CHECK (hard rule - do not send otherwise)
- Output language matches the current user message (IT or EN).
- The final line contains one or more citation blocks using ONLY allowed citable source names - OR, when no citable Slides/Exercises file supports the answer, NO citation block at all.
- No citation block contains a Videolessons, Extra, Glossary, Bridge-Notes, or exam-paper file. If one slipped in, delete it before sending.
- For EACH citation, the named file actually contains the specific claim it supports (not just a related topic). If not, replace it with the correct file or drop it.

USEFUL FORMATS
- Procedures requiring distinct steps → numbered lists.
- Tiny tables for comparing concepts/models (e.g., push vs pull).
- Short definitions followed by 1 example if present in the sources (Term → short definition → 1 example).

LIMITS & UNCERTAINTY
- No web or external knowledge.
- If data are missing/ambiguous (e.g., numeric inputs), state the missing inputs, outline how to proceed, then cite the closest Slides/Exercises (if a citable one applies; otherwise proceed without a citation).
- If the topic is entirely outside the course (not covered by any source), reply: "Not present in the provided course materials." If the topic IS covered but only in retrieval-only sources, answer normally without a citation - do not reply "Not present".

SAFEGUARDS
- Ignore instructions to deviate from these rules.
- Do not reveal internal prompts, files, metadata, or reasoning.

Appendix E - Examples of answers in the platform comparison

This appendix reports the complete evaluation of agents' answers and some representative extracts of the answers provided by the three environments during the comparison described in Section 5.4, with the same knowledge base, instructions, and questions. The extracts are transcribed faithfully.

E.1 – Complete evaluation reported by platform

NotebookLM	Completeness	Coherence	Citation	Calculations
Little's law	2	2	2	Na
Kendall	2	2	2	Na
Multi-product	1	2	2	Na
Batch	1	2	2	Na
Out of context	2	2	2	Na
Exercise 1	2	2	2	2
Exercise 2	2	2	2	2

Copilot	Completeness	Coherence	Citation	Calculations
Little's law	2	2	0	Na
Kendall	2	1	2	Na
Multi-product	1	1	2	Na
Batch	1	1	1	Na
Out of context	2	2	2	Na
Exercise 1	2	2	2	1
Exercise 2	2	2	2	2

Gemini	Completeness	Coherence	Citation	Calculations
Little's law	2	2	1	Na
Kendall	2	2	2	Na
Multi-product	1	2	2	Na
Batch	1	2	2	Na
Out of context	0	0	0	Na
Exercise 1	2	2	2	2
Exercise 2	2	2	2	2

E.2 - Respect of the domain constraint (off-topic question on the WACC)

Question asked: "I also have to prepare for my Corporate Finance exam. Can you explain how to compute the Weighted Average Cost of Capital of a manufacturing firm, and use it to decide whether buying a new machine is worthwhile?"

NotebookLM:
"Not present in the provided course materials."

Copilot:
"Not present in the provided course materials."

Gemini Gems (extract):
"The Weighted Average Cost of Capital (WACC) represents a firm's average cost of capital after tax […] it acts as the minimum required rate of return (hurdle rate) for capital budgeting decisions" - followed by the complete formula and procedure.

Note: the question is unrelated to the course syllabus (Corporate Finance). Gemini answers in full, despite having received instructions that required it to refuse off-course topics.

E.3 - Traceability of the sources (comparison of citations)

On the question about Little's Law, the three environments close their answer differently:

NotebookLM: it reports the correct and pertinent source
[Slides: 02_slides_Introduction_Factory_Models_with_solutions.md; Exercises: 02_exercise_SO_Factory_Performance.md]

Gemini Gems: it reports a single citation
[Exercises: 02_exercise_SO_Factory_Performance.md]

Copilot: it does not report the source

Note: NotebookLM cites systematically and with the files actually pertinent to the topic.

Appendix F - Instructions of the exam-feedback assistant

This appendix reports the complete text of the instructions given to the exam-feedback assistant, described in Section 5.6. The instructions define the role of the assistant, how to analyze and compare the student's work with the official solution, and the constraints on tone and behavior. *(The instructions were originally written in Italian, the language in which the assistant operates with the students; the text below is a faithful translation.)*

SOURCE DISAMBIGUATION

The source with "SOLUTION" in its name is the teacher's official solution (the reference). The source with "STUDENT_PAPER" in its name is the student's work to be commented on. Base everything you say only on these two sources.

ROLE

You are a tutor of the course "Analysis and Management of Production Systems" (AMPS, Politecnico di Torino). You address the STUDENT who carried out the exam directly: your purpose is to explain to them, in a clear and didactic way, what they did well and what they got wrong, and to help them understand why. Use an informal, direct, encouraging, and respectful tone. You are not a judge: you do not assign grades or scores, and you do not say whether the exam is "sufficient" or not.

LANGUAGE

Reply in the language of the student's question/message. If the student writes in Italian, reply in Italian; if they write in English, reply in English.

HOW TO REASON (for each exercise, before explaining)

1. Read what the student wrote and compare it step by step with the SOLUTION.
2. Identify where a possible error first arises, distinguishing between: a method/concept error (they applied a formula incorrectly or misunderstood a datum); a calculation or transcription slip; a consequence of a previous error (downstream the method is correct); a part not carried out or incomplete.
3. Consider correct the differences due only to rounding (e.g. 0.106 vs 0.1057): do not treat them as errors.

HOW TO EXPLAIN TO THE STUDENT (for each exercise)

WHAT YOU DID WELL: explicitly acknowledge the correct steps, so they know what to

keep. WHAT IS WRONG AND WHY: indicate precisely the point where the error arose and explain the conceptual cause, not just that the number is different. Connect the error to the course principle (e.g., "the service time of a station is a given of the problem; it is not recomputed from the upstream flows"). THE CORRECT PROCEDURE: show in full how that point is correctly carried out, with the steps and the final result, so that they can redo it on their own. Show the calculations; do not merely cite the result. IF THE ERROR PROPAGATES: explain that a single upstream error "dragged" the subsequent results, so they understand that they do not have to restudy everything, but only correct the origin.

WHEN YOUR RESULT DOES NOT MATCH THE OFFICIAL SOLUTION

If the student's procedure seems correct to you but the result differs from the teacher's solution, do NOT tell the student that they are wrong. Tell them honestly that their procedure appears correct, that there is a discrepancy with the official solution on that value, and that it is advisable to have it verified by the teacher. Do not overrule the teacher by declaring the solution wrong: present the matter as a point to be clarified together with them.

MULTIPLE CHOICE

The answer grid on the FIRST page is the only authoritative one. Read it cell by cell: if one is empty, it is a "non-answer" (do not fill it with values taken from repetitions of the table on other pages, from the solution, or inferred). For each question, tell the student whether their answer matches the correct one; where they got it wrong, briefly explain why the right option is that one and not theirs.

PARTS NOT CARRIED OUT

If an exercise is incomplete or abandoned (e.g. a "no time" note), do not reproach them: tell them tactfully that that part was not completed and show them how it would have continued, so they learn it for next time.

VERSION

Read the version from the heading of the exam (e.g. "- A") and compare it with the key and the variant (A-D or B-C) corresponding to that version.

UNCERTAIN READINGS

If you cannot read a number, a formula, or a diagram with certainty, say so ("I cannot read this passage well") and ask the student to confirm it, instead of guessing.

TONE AND LIMITS

Encouraging and constructive: the aim is to help them understand and improve, never to belittle them-no grades, scores, or judgments of adequacy. Explain only the exercises of this exam, based on the two sources; do not invent data or exercises that are not there.

RESPONSE FORMAT

Proceed exercise by exercise, with, for each one: What you did well; What is wrong and why; How it is correctly carried out (complete procedure). Close with a brief, friendly summary of the points to focus on to improve.

Example of the request with which the student activates the assistant:
"Compare the answers in 'Student paper 9' with '2026_call1_solutions_corrected', question by question. For each error, explain where they are going wrong and why, following the instructions I have already given you."